

# MARTCARE® FACESHIELD

BROWGUARD WITH GREY UNBOUND POLYCARBONATE VISOR & ELASTICATED HEADBAND

**TECHNICAL  
SPECIFICATION**

**MARTCARE® RANGE**

## INSTRUCTIONS FOR USE

Before use, the browguard should be fitted to the visor  
In use, ensure that the Faceshield fits comfortably and securely on the head  
Ensure that the visor is in place before entering the hazard area

## MATERIALS

Browguard: Polypropylene  
Wheel Ratchet Harness: Polythene, ABS, Nylon and Steel Fittings  
Elastic Harness: Polythene, ABS, Nylon and Elasticated Strap  
Visor: Polycarbonate

## DIMENSIONS OF OUTER PACKAGING

Quantity: 10  
Height: 360mm  
Width: 280mm  
Length: 400mm  
Weight: 3.2Kg (Approx)

## FACESHIELD FEATURES & PERFORMANCE

Offers protection against medium energy high speed particles at 120m/s (270mph), liquid droplets and molten metal  
The optical qualities of the visor comply with the requirements of optical class 1 (highest)  
Browguard with grey unbound Polycarbonate visor and elasticared headband

## CLEANING & MAINTENANCE

The browguard may be cleaned with soap and warm water and dried with a soft cloth  
Do not clean with chemical or abrasive cleaners  
The eye shield should be stored out of direct sunlight, away from chemicals and not exposed to extremes of temperature



## CONFORMITY

Meets the requirements of EN 166.1.B.3.9 and EN 169  
EC Certificate Number 2406, issued by BSI Product Certification

## DIMENSIONS OF FACESHIELD

Height: 175mm  
Width: 263mm  
Length: 277mm  
Weight: 255g (Approx)

## LIMITATIONS OF USE

Protection will only be offered if the faceshield is fitted correctly  
If the faceshield becomes scratched or damaged they should be replaced  
Do not apply paint, solvents, adhesives or self-adhesive labels, except in accordance with instructions from the manufacturer  
The harness, when in contact with the skin may cause allergic reactions to susceptible individuals. If this occurs leave the hazard area, remove the faceshield and seek medical advice  
Polycarbonate visors are not suitable for use with all chemicals - if you are unsure contact your supplier or JSP for help and advice

