

# FORCE10™ TWIN CARTRIDGE FULL FACE RESPIRATOR

PRODUCT CODE: BPK000-011-000

ONE OF THE LIGHTEST, MOST WELL BALANCED CLASS 2 FULL FACE MASKS AVAILABLE

**TECHNICAL  
SPECIFICATION**

**RESPIRATORY PROTECTION**

## INSTRUCTIONS FOR USE

Fully loosen all five head straps, then place the harness at back of head and position facepiece over the face

Pull the ends of the five straps to adjust tightness, starting with the neck straps first, then the forehead straps. Do not over tighten the head straps

Perform a positive/or negative pressure fit check each time the respirator is donned

### FACEPIECE:

Made from EPDM and padded for extra comfort over prolonged use, and moulds to face shape for excellent seal

### LENS:

Polycarbonate. Panoramic Anti-Mist, Anti-Scratch design providing impact protection



### EXHALATION VALVE:

Made from Nylon to reduce heat and moisture build up



### HEAD HARNESS:

Fully adjustable 5 point suspension harness for optimum fit and comfort. Quick release buckles for easy use



## CLEANING & MAINTENANCE

Disassemble by removing the filters and nose cup

The centre adapter, lens and face seal can also be removed if necessary

Clean and sanitise the facepiece (excluding cartridges and filters) by immersing in warm cleaning solution and scrub with soft brush until clean. Parts may also be cleaned in a washer

Disinfect respirator by soaking in a solution of quaternary ammonia disinfectant or sodium hypochlorite (50ppm chlorine)

Rinse in fresh, warm water and air dry in a non-contaminated atmosphere. Drying temperatures must not exceed 50c

Respirator components, especially exhalation valve and seat, should be inspected prior to each use. Any damaged or deteriorated components should be replaced

The cleaned respirator should be stored at ambient temperature in a dry non-contaminated atmosphere

## CONFORMITY

Tested to the relevant European Standards (EN136 (Class 3), EN141, EN143, EN14387) and have met the requirements shown below:

Facepiece EN136

Filter Performance EN14387:2004

Filter Performance EN143:2000

Flammability EN136

Visor - Eye protection to EN166:2001 B. Protection against medium energy high speed particles (120m/s)

EC Certificate number 085-95E

# FORCE10™ TWIN CARTRIDGE FULL FACE RESPIRATOR

PRODUCT CODE: BPK000-011-000

ONE OF THE LIGHTEST, MOST WELL BALANCED CLASS 2 FULL FACE MASKS AVAILABLE

## TECHNICAL SPECIFICATION

### RESPIRATORY PROTECTION



### DIMENSIONS OF OUTER PACKAGING

Quantity: 1

Weight: 460g (Approx.)

HEIGHT:  
145mm



LENGTH:  
223mm

WIDTH:  
190mm

### FILTER INFORMATION

DESCRIPTION	FILTER	FILTER COLOUR	QTY
Force8® - 2 x F8-110 Organic Vapour Filter, Capacity 1	A1		80
Force8® - 2 x F8-120 Organic Vapour Filter, Capacity 2	A2		80
Force8® - 2 x F8-123 Organic Vapour & Dust Cartridge	A2P3		80
Force8® - 2 x F8-510 Organic & In-Organic Cartridge	AB1		80
Force8® - 2 x F8-710 Combination Vapour Cartridge	ABEK2		80
Force8® - 2 x 003 Dust Cartridge	P3		80

### LIMITATIONS OF USE

These respirators do not supply oxygen  
Do not use in oxygen deficient atmospheres

Do not use for respiratory protection against atmospheric contaminants which have poor warning properties, are unknown or immediately dangerous to life and health or against chemicals which generate high heats of reaction with chemical filters

Do not modify or alter this device

The assembled respirator may not provide a satisfactory face seal with certain physical characteristics (such as beards or large side burns) resulting in leakage between the facepiece and the face, the user assumes all risks of bodily injury which may possibly result

Do not use with unknown concentrations of contaminants

Use strictly in accordance with face piece and filter instruction leaflet



### DIMENSIONS OF RESPIRATOR

Weight without filters: 450g (Approx.)

Weight with filters: 810g (Approx.)

### FIT TESTING

The Force 10 Respirator Full Face Mask is a tight fitting facepiece and therefore requires a fit test per wearer before use as per the COSHH regulations 2002