

CHM Chem Master®



Unsupported, coton flock Neoprene over natural rubber coating

DESCRIPTION

- Fully coated
- Rolled cuff
- Tractor tread finish
- Without special treatment
- Wear indicator overdip
- Available by individual pair in polybag with eyelet



BENEFITS

- A flexible glove that absorbs perspiration
- Protects the hand from a wider range of chemicals
- Impermeable for working in damp or greasy environments
- Cuff prevents dirt from entering the glove
- Surface provides good grip and wet substances can be repelled
- Minimal allergy risks
- Blue color spotted when the coating is damaged
- Packaging that helps finding the right model in displays
- Wrist well protected
- Low-soil colour

RECOMMENDED FOR THESE RISKS:

Chemicals
Abrasion
Slips

RECOMMENDED FOR THESE LINES OF WORK:

Chemical industry / Acid components
Petrochemistry

AVAILABLE SIZES

7/S • 8/M • 9/L • 10/XL

LENGTH

Dependent on size, in mm (flat)

305

PACKAGING

Pairs or pieces per pack/box

1/12/144

COLOUR OF SUPPORT/COATING

Blue/black

THICKNESS

in mm

0,66

RECOMMENDATIONS FOR USE

- Store away from light and humidity
- Rinse the gloves in running water before removing, using a neutral detergent if necessary
- Do not wear gloves when there is a risk of entanglement by moving parts of machines.
- Potential allergens: carbamate and natural rubber latex




Globus Building
38 Wheel Forge Way
Trafford Park, Manchester
M17 1EH

Tel: 0161 877 4747 Fax: 0161 877 4746
www.globus.co.uk

EC compliance certificate delivered by the notified body 0072 IFTH - Institut Français du Textile et de l'Habillement
Avenue Guy de Collongue - 69134 Ecully Cedex - France

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.



[Updated 18/06/12]

