


COBRA

ESSENTIAL WRAP-AROUND COMFORT

The essential all rounder with a panoramic visual field! Wrap-around fit without any visual interference, COBRA offers 180° vision and perfect optical quality. The option of swapping the temples for an adjustable strap and foam seal means COBRA is a highly versatile model.

 PLATINUM



COBFSPSI



COBFTPSI



COBPSJ



COBPSF



COBPSI



COBESP



25 g

SUPPLIED WITH

Adjustable cord
CORDC



Microfibre pouch
ETUIFS





















- + 1 PRODUCT = 2 USES
- + UPPER PROTECTION
- + PANORAMIC VISION
- + NON-SLIP BRIDGE
- + COMFORTABLE, NON-SLIP STRAIGHT TEMPLES
- + TEMPLE OR STRAP VERSION WITH INTERCHANGEABLE FOAM
- + PIVOTING TEMPLES

bolle
SAFETY

COBRA

ESSENTIAL WRAP-AROUND COMFORT

| MODEL | VERSIONS | REFERENCES | LENS MARKING | FRAME MARKING | COATINGS |
|--|--|------------|---|---|------------------------------------|
| COBRA Strap + foam version |  Clear | COBFSPSI | 2C-1.2  1 BT KN C€ |  EN166 3 BT C€ | Anti-scratch/Anti-fog (*P) |
| COBRA Temples + foam version |  Clear | COBFTPSI | 2C-1.2  1 BT KN C€ |  EN166 FT C€ | Anti-scratch/Anti-fog (*P) |
| COBRA temple version |  Clear | COBPSI | 2C-1.2  1 BT C€ |  EN166 FT C€ | ASAF |
| |  Comfort yellow | COBPSJ | 2C-1.2  1 BT C€ |  EN166 FT C€ | ASAF |
| |  ESP | COBESP | 5-1.4  1 BT C€ |  EN166 FT C€ | Hydrophobic/Anti-reflective/ AS |
| |  Smoke | COBPSF | 5-3,1  1 BT C€ |  EN166 FT C€ | ASAF |

LENS MARKING


Optical class symbols:

1. Continuous work

Mechanical strength symbols:

- B.** Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s
- T.** The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

Others symbols:

- K.** Resistance to surface damage by fine particles (optional)
- N.** Resistance to fogging (optional)
- C€ European standard  Manufacturer name

TECHNOLOGY

B ESP

ESP, Extra sensory Perception, an innovative coating to reduce dazzle and the harmful affects of blue light. B-ESP filters 70% of blue light, 64% of visible light and 99.99% of UVA/UVB.

B CONTRAST

A revolutionary coated, gradient lens offering better long term eye comfort. B-Contrast is particularly suited to wearers of safety glasses with clear lenses. B-Contrast filters 99.99% of UVA/UVB up to 400 nm and over 30% of blue light.

B HD

A revolutionary coating for exceptional clarity and light transmission. It can be used for every type of job except those requiring solar protection in industrial fields. Unlike any other lens, wearers forget they are protected by the HD coating. Its visible light transmission rate is 96% compared with 90% for conventional clear lenses. Featuring a hydrophobic coating as standard, B-HD is a real polymer barrier and resists water and dirty marks.

PLATINUM

This permanent coating on both sides of the lens gives them a high resistance to scratching, to the most aggressive chemicals and delays the onset of fogging. In all circumstances and at all times the PLATINUM lens innovation guarantees your eyes improved protection.



FRAME MARKING

EN 166: guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s
Maximum protection for glasses.

B. Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s

T. The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

C€ European standard  Manufacturer name

Bollé Safety product approval certificates to CE standards will be sent on request.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

Europe Bollé Safety
95 rue Louis Guérin
69100 Villeurbanne - France
Tél. : 00 33 (0) 4 78 85 23 64
Fax : 00 33 (0) 4 78 85 28 56
contact@bolle-safety.com

bolle-safety.com

U.K. Bollé Safety
Unit C83 - Barwell Business Park Leatherhead Road - Chessington
Surrey - KT9 2NY
Tél. : 00 44 (0)208 391 4700
Fax : 00 44 (0)208 391 4733
e-mail : sales@bolle-safety.co.uk

bolle
SAFETY

COBRA

ESSENTIAL WRAP-AROUND COMFORT

CHARACTERISTICS

| | |
|--------------|-----------------------|
| LENSES | PC - 2,2 mm - Curve 9 |
| FRAME | Nylon/PC/TPR |
| STRAP | 15mm adjustable |
| FOAM | COBFPSI & COBFTPSI |
| SPARE LENSES | Yes |

PACKAGING AND EAN 13 CODE

| | COBPSI | COBPSJ | COBPSF | COBESP | COBFPSI | COBFTPSI |
|------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Individual plastic bag | 3660740006129 | 3660740006143 | 3660740006136 | 3660740006006 | 3660740005986 | 3660740006921 |



Europe Bollé Safety
95 rue Louis Guérin
69100 Villeurbanne - France
Tél. : 00 33 (0) 4 78 85 23 64
Fax : 00 33 (0) 4 78 85 28 56
contact@bolle-safety.com



bolle-safety.com

U.K. Bollé Safety
Unit C83 - Barwell Business Park Leatherhead Road - Chessington
Surrey - KT9 2NY
Tél. : 00 44 (0)208 391 4700
Fax : 00 44 (0)208 391 4733
e-mail : sales@bolle-safety.co.uk

bolle
SAFETY

KIT COBRA

KIT VERSION

| MODEL | VERSIONS | REFERENCES | LENS MARKING | FRAME MARKING | COATINGS |
|------------------|---|------------|--|---|--|
| KIT COBRA |  Smoke  ESP Clear | KITCOBRA | 2C-1.2 ☞ 1 BT C€ 5-1.4 ☞ 1 BT C€ 5-3.1 ☞ 1 BT C€ | ☞ EN166 FT c€ (Strap) ☞ EN166 3BT c€ (Temples) | ASAF Hydrophobic/Anti-reflective/AS ASAF |

SUPPLIED WITH

Case with belt clip
and loop



Microfibre pouch
ETUIFS



**+ THREE SPARE LENSES: CLEAR,
SMOKE, ESP**

+ INTERCHANGEABLE FOAM FOR COMFORT

**+ ADJUSTABLE STRAP AND STRAIGHT
TEMPLES**

PACKAGING AND EAN13 CODE

| | KITCOBRA |
|-------------------------------------|---------------|
| Individual plastic bag | 3660740000707 |
| 90 safety spectacles per outer pack | 3660740200701 |

CHARACTERISTICS

| | |
|--------------|-----------------------|
| LENSES | PC - 2,2 mm - Curve 9 |
| FRAME | Nylon/PC/TPR |
| STRAP | 15mm adjustable |
| FOAM | EVA |
| SPARE LENSES | ESP and smoke |
| CASE | Rigid case |



17/07/2014

Europe Bollé Safety
95 rue Louis Guérin
69100 Villeurbanne - France
Tél. : 00 33 (0) 4 78 85 23 64
Fax : 00 33 (0) 4 78 85 28 56
contact@bolle-safety.com

bolle-safety.com

U.K. Bollé Safety
Unit C83 - Barwell Business Park Leatherhead Road - Chessington
Surrey - KT9 2NY
Tél. : 00 44 (0)208 391 4700
Fax : 00 44 (0)208 391 4733
e-mail : sales@bolle-safety.co.uk

bolle
SAFETY