FISH TAPES, ACCESSORIES & CONDUIT TOOLS

Innovative, high quality solutions for wire pulling and conduit bending









KLEIN TOOLS

INTRODUCING

Laser-Etched Fiberglass Fish Tapes







NON-CONDUCTIVE

PERMANENT 1' MARKINGS

DURABLE LEADER





Unique sloped handle

optimizes the position of your hand for quick hand-over-hand rewinds and allows a more level tape payout.

Raised fingergrips

help transfer 100% of the winding power from your hand and fingers.

Polypropylene case and handle are extremely durable and offer the maximum in shock and impact resistance.

The round inner ring design provides a smooth, consistent and comfortable surface for winding and rewinding.

KLEIN TOOLS

Fish Tapes

High Strength 1/4" Wide Steel Fish Tapes

Additional Features:

• Permanent, laser etched 1' increments on the tape allow you to more accurately measure the depth of conduit runs and determine the amount of tape left to pay out.



 Tempered, high quality tape keeps its stability as it glides between surfaces for effective pushing and pulling of wire under carpets, through insulated walls and over suspended ceilings.

• 25' length is perfect for short wire runs associated with light commercial, residential and voice-data-video-audio installations (Cat. No. 56005).







| Cat. No. | Tape Size | Reel Diameter | Weight (lbs.) |
|----------|--|---------------|---------------|
| 56005 | 25' L x 1/4" W x .030" H (7 m L x 6.3 mm W x .7 mm H) | 7" (178 mm) | 1.1 |
| 56006 | 100' L x 1/4" W x .062" H (30 m L x 6.3 mm W x 1.5 mm H) | 13" (330 mm) | 6.8 |

High Strength 1/8" Stainless Steel Fish Tapes

Additional Features:

56005 Has a No Snag Plastic Tip

• Permanent, laser etched 1' increments on the tape allow you to more accurately measure the depth of conduit runs and determine the amount of tape left to pay out.



Stainless Steel fish tape is corrosion resistant and extends the life of the tool.

• High strength spring steel fish tapes are stiff for long runs and are great for heavy duty wire pulls.



| Cat. No. | Tape Size | Reel Diameter | Weight (lbs.) |
|----------|--|---------------|---------------|
| 56007 | 125' L x 1/8" W x .062" H (38 m L x 3 mm W x 1.5 mm H) | 13" (330 mm) | 4.7 |
| 56008 | 240' L x 1/8" W x .062" H (73 m L x 3 mm W x 1.5 mm H) | 13" (330 mm) | 7.5 |

Fiberglass Fish Tapes

Additional Features:

- Permanent, laser etched 1' increments on the tape allow you to more accurately measure the depth of conduit runs and determine the amount of tape left to pay out.
- Designed for flexibility and easy navigation through conduit runs.
- Non conductive, fiberglass fish tape slides easily over existing wires and through multiple bends.
- The lightweight and strong fiberglass composite tape resists harsh elements and is strength rated up to 500 pulling pounds.
- The 13" case diameter means you can reel in 15% more tape in a single revolution vs. a standard 12" case (except Cat. No. 56014).
- Durable 7" leader helps push through crowded conduit.

| Cat. No. | Tape Size | Reel Diameter | Weig | ht (lbs.) |
|----------|--|---------------|------|-----------|
| 56009 | 50' L x 3/16" W (7" leader) (15 m L x 4.8 mm W) | 13" (330 mm) | 2.8 | |
| 56010 | 100' L x 3/16" W (7" leader) (30 m L x 4.8 mm W) | 13" (330 mm) | 3.5 | |
| 56014 | 200' L x 3/16" W (7" leader) (60 m L x 4.8 mm W) | 17" (432 mm) | 6.2 | NEW! |



All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: Wear approved eye protection when feeding, pulling or rewinding fish tape.

AWARNING: Never remove screws while fish tape is coiled inside reel.

AWARNING: Do NOT use any fish tape on or near live circuits. Use extreme caution when working near any electrical equipment.

AWARNING: Use a safe work position to avoid loss of balance when using

High Strength 1/8" Wide Steel Fish Tapes

Additional Features:

Fish Tapes

Permanent, laser etched 1' increments on the tape allow you to more accurately measure the depth of conduit runs and determine the amount of tape left to pay out.

• Full grip style handle gives you a firm, steady grip as you pull tape from the case (Cat. Nos. 56000, 56001).

• The 13" case diameter means you can reel in 15% more tape in a single revolution than similar sized 12" tapes saving you time and effort (Cat. Nos. 56003, 56004).









| Cat. No. | Tape Size | Reel Diameter | Weig | ıht (lbs.) |
|----------|--|---------------|------|------------|
| 56000 | 25' L x 1/8" W x .045" H (7 m L x 3 mm W x 1.1 mm H) | 7" (178 mm) | 1.0 | |
| 56001 | 50' L x 1/8" W x .045" H (15 m L x 3 mm W x 1.1 mm H) | 7" (178 mm) | 1.3 | |
| 56002 | 65' L x 1/8" W x .062" H (19 m L x 3 mm W x 1.5 mm H) | 9" (229 mm) | 2.6 | |
| 56003 | 125' L x 1/8" W x .062" H (38 m L x 3 mm W x 1.5 mm H) | 13" (330 mm) | 4.7 | |
| 56004 | 240' L x 1/8" W x .062" H (73 m L x 3 mm W x 1.5 mm H) | 13" (330 mm) | 7.5 | |
| Replace | ment Tapes | | | |
| 56065 | 65' L x 1/8" W x .062" H (19 m L x 3 mm W x 1.5 mm H) | _ | 1.7 | NEW! |
| 56125 | 125' L x 1/8" W x .062" H (38 m L x 3 mm W x 1.5 mm H) | - | 3.3 | NEW! |
| 56240 | 240' L x 1/8" W x .062" H (73 m L x 3 mm W x 1.5 mm H) | _ | 6.1 | NEW! |



 Replacement tapes available in 65', 125', & 240' lengths (Cat. Nos. 56065, 56125, 56240).

All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: Wear approved eye protection when feeding, pulling or rewinding fish tape.

AWARNING: Never remove screws while fish tape is coiled inside reel.

AWARNING: Do NOT use any fish tape on or near live circuits. Use extreme caution when working near any electrical equipment.

AWARNING: Use a safe work position to avoid loss of balance when using









Fish Tapes

Nylon Fish Tapes

Additional Features:

- Designed for flexibility and easy navigation through conduit runs.
- Non conductive, nylon fish tape slides easily over existing wires and through multiple bends.
- The lightweight and strong nylon composite tape resists harsh elements and is strength rated up to 200 pulling pounds.
- The 13" case diameter means you can reel in 15% more tape in a single revolution vs. a standard 12" case.

| Cat. No. | Tape Size | Reel Diameter | Weight (lbs.) |
|----------|--------------------------------------|---------------|---------------|
| 56011 | 50' L x 3/16" W (15 m L x 4.8 mm W) | 13" (330 mm) | 2.3 |
| 56012 | 100' L x 3/16" W (30 m L x 4.8 mm W) | 13" (330 mm) | 3.0 |



Spiral Steel Fish Tapes

Additional Features:

- Designed for super flexibility and easy navigation through conduit runs.
- Spiral Steel fish tape slides easily over existing wires and through multiple bends.
- The durable spiral steel tape construction yields a maximum pulling force of up to 500 lbs.
- The 13" case diameter means you can reel in 15% more tape in a single revolution vs. a standard 12" case.

| Cat. No. | Tape Size | Reel Diameter | Weight (lbs.) |
|----------|-------------------------------------|---------------|---------------|
| 56013 | 50' L x 3/16" W (15 m L x 4.8 mm W) | 13" (330 mm) | 5.1 |



Fish Tape Accessories

Poly Pull Line

ing fish tape.

- Use polypropylene line with manual or power fishing systems for light duty cable or rope pulling applications.
- Ready to use storage containers quickly dispense a tangle free line and also protects line from direct sunlight.
- Line is resistant to rot and mildew.
- Up to 210 lbs. average breaking strength.

| Cat. No. | Description | Container Type | Weight (lbs.) |
|----------|--|---------------------------------|---------------|
| 56108 | 500' (152 m) poly pull line with orange tracer | one-quart size w/locking lid | 1 |
| 56110 | 6500' (1981 m) poly pull line with orange tracer | five-gallon bucket | 11 |

All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: Never remove screws while fish tape is coiled inside reel.

AWARNING: Wear approved eye protection when feeding, pulling or rewind-







AWARNING: Do NOT use any fish tape on or near live circuits. Use extreme caution when working near any electrical equipment.

AWARNING: Use a safe work position to avoid loss of balance when using

56110

Steel Fish Tape Puller

- Exclusive design improves your grip while pulling all types of flat steel fish tape.
- Rugged metal construction is comfortable in your hand and provides excellent leverage.
- Internal resistance mechanism securely locks fish tape in place for pulling. Compatible with 1/8" & 1/4"

tape widths and thicknesses of

 Compact size – fits easily in your pocket or a tool pouch.

.045", .062" and .030".

Cat. No.

50355



Composite Fish Tape Puller

- Exclusive design improves your grip while pulling round-diameter, composite fish tapes.
- Flexible rubberized construction is comfortable in your hand and provides excellent leverage.
- Interlocking teeth molded into channel wrap completely around the tape when squeezed.
- Fits conveniently into center of 13" fish tape case for easy storage.
- Compatible with Nylon, Fiberglass and Spiral Steel tapes.



ESK

S

Ro

0

Ŏ

Fish Tape Accessories

| Cat. No. | Length | Weight (lbs.) |
|----------|-----------------|---------------|
| 56106 | 7-3/4" (196 mm) | .6 |
| | | |

Steel Fish Tape Swivel Eyelet

3-1/4" (83 mm)

- For use with 1/8" wide steel fish tapes.
- Swivel head design helps prevent kinks and allows smoother, easier fishing in tight turns.
- High capacity eyelet holds up to five #12 unstripped wires or seven #10 bare wires.

Weight (lbs.)

.33

- High strength steel construction allows for optimal performance over repeated uses.
- Retrofit instructions included.

| Cat. No. | Length | Diameter | Weight (lbs.) |
|----------|----------------|--------------|---------------|
| 50351 | 1-1/2" (38 mm) | 3/16" (5 mm) | .03 |



• The 3/16" diameter tape has a rustproof inner steel cable core wrapped with a spiral cover for exceptional flexibility.

• Flexible leader guides steel tapes through 90° bends and makes pulling

and pushing flat steel tapes easier.

13.5" Flexible Leader for Steel Fish Tapes



- For use with 1/8" wide steel fish tapes.
- Heavy duty construction is strength rated up to 500 pulling pounds.
- High capacity eyelet holds up to five #12 unstripped wires and seven #10 bare wires.
- Retrofit instructions included.

| at. No. | Length | Diameter | Weight (lbs.) |
|---------|------------------|--------------|---------------|
| 0350 | 13-1/2" (343 mm) | 3/16" (5 mm) | .10 |

50350

6 Loop Wire Pulling Leader



- Save time by attaching leader to the end of a fish tape and pull up to 6 wires at once.
- Braided steel construction provides up to 450 lbs. pull strength on main eyelet.
- Flexible construction allows for easy navigation through multiple bends in conduit.
- For use with 1/8" and 1/4" flat steel fish tapes.

| Cat. No. | Length | Weight (lbs.) |
|----------|------------------|---------------|
| 56107 | 11-1/4" (285 mm) | .2 |

All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: Wear approved eye protection when feeding, pulling or rewind-

Staggered loop lengths won't overlap and clog pipe.

AWARNING: Never remove screws while fish tape is coiled inside reel.


AWARNING: Do NOT use any fish tape on or near live circuits. Use extreme caution when working near any electrical equipment.

AWARNING: Use a safe work position to avoid loss of balance when using

Innovative Quality

Since 1857, the goal of Klein Tools has always been the same - to offer high quality hand tools that are durable, enhance performance and reduce effort on the jobsite.

Klein Tools' laser-etched fish tapes and conduit benders blend innovation and functional design to meet the needs of the professional electrician.





For Professionals...Since 1857®

www.kleintools.com

Klein Tools, Inc. • 450 Bond Street • Lincolnshire, IL 60069-1418 Phone: 847-821-5500 • Toll free: 800-553-4676 • fax: 800-553-4876







98099 Rev. 7/12