


Erbauer



EAN: 3663602797357

EMST200

ORIGINAL INSTRUCTIONS





Safety instructions



Product description



Assembly



Use



+



Care & maintenance



Guarantee








WARNING! Please read all safety warnings carefully and be sure that they are fully understood before handling the tool.














Product description









Safety intructions

GENERAL POWER TOOL SAFETY WARNINGS



WARNING! When using electric tools basic safety precautions should always be followed to reduce the risk of fire, electric shock and personal injury including the following.

Read all these instructions before attempting to operate this product and save these instructions.

- 1. Keep the work area clean.
- 2. **Keep children away.** Do not let persons, especially children, not involved in the work touch the tool or the extension cord and keep them away from the work area.
- 3. **Store idle tools.** When not in use, tools should be stored in a dry, high or locked up place, out of reach of children.
- 4. **Do not force the tool.** It will do the job better and safer at the rate for which it was intended.
- Use the right tool. Do not force small tools to do the job of a heavy-duty tool.
 Do not use tools for purposes not intended, for example, do not use circular
 saws to cut tree limbs or logs.
- 6. **Dress properly.** Do not wear loose clothing or jewellery, they can be caught in moving parts. Non-skid footwear are recommended when working outdoors. Wear protective hair covering to contain long hair.
- 7. **Use protective equipment.** Use safety glasses. Use face or dust mask if working operations create dust.
- 8. **Connect dust extraction equipment.** If the tool is provided for the connection of dust extraction and collecting equipment, ensure these are connected and properly used.
- 9. **Do not abuse the cord.** Never yank the tool to disconnect it from the socket. Keep the cord away from heat, oil and sharp edges.
- 10. **Secure work.** Where possible use clamps or a vice to hold the work. It is safer than using your hand.
- 11. **Do not overreach.** Keep proper footing and balance at all times.
- 12. **Maintain tool with care.** Keep cutting tools sharp and clean for better and safer performance. Follow instructions for lubrication and changing accessories.



- Inspect tool cord periodically and if damaged have them replaced by an authorised service facility. Inspect extension cords periodically and replace if damaged. Keep handles dry, clean and free of oil or grease.
- 13. **Disconnect tools.** When not in use, before servicing and when changing accessories such as blades, bits and cutters, disconnect tools from the power supply.
- 14. **Remove adjusting keys and wrenches.** From the habit of checking to see that keys and adjusting wrenches are removed from the tool before turning it on.
- 15. Avoid unintentional starting. Ensure switch is in the "off" when plugging in.
- 16. **Use outdoor extension leads.** When tool is used outdoors, use only extension cords intended for outdoor use and so marked.
- 17. **Stay alert.** Watch what you are doing. Use common sense. Do not operate tool when you are tired.
- 18. Check damaged parts. Before further use of the tool, it should be carefully checked to determine that it will operate properly and perform its intended function. Check for alignment of moving parts, binding of moving parts, breakage of parts, mounting and any other conditions that may affect its operation. A guard or other part that is damaged should be properly repaired or replaced by an authorised service centre unless otherwise indicated in this instruction manual. Have defective switches replaced by an authorised service facility. Do not use the tool if the switch dose not turn it on and off.
- 19. **Warning.** The using of any accessory or attachment other than those recommended in this instruction manual may present a risk of personal injury.
- 20. Have your tools repaired by qualified person. This electrical tool complies with the relevant safety requirements. Repairs should only be carried out by qualified persons using original spare parts, otherwise this may result in considerable danger to the user.
- 21. If the replacement of the supply cord is necessary, this has to be done by the manufacturer or his agent in order to avoid a safety hazard.

HEALTH ADVICE



WARNING! When drilling, sanding, sawing or grinding, dust particles will be produced. In some instances, depending on the materials you are working with, this dust can be particularly harmful to you (e.g. lead from old gloss paint).

- You are advised to consider the risks associated with the materials you are working with and to reduce the risk of exposure. You should:
- Work in a well-ventilated area.



- Work with approved safety equipment, such as those dust masks that are specially designed to filter microscopic particles.

ADDITIONAL SAFETY INSTRUCTIONS FOR YOUR MITRE SAW STAND



WARNING! Do not operate the mitre saw stand until it is assembled, and you have read and understood the following instructions and the warning labels on the mitre saw stand.

Before operating

- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.
- Know your accessory. Read the operator's manual carefully. Learn its applications and limitations, as well as the specific potential hazards related to this accessory.
- If any parts are missing, do not use the stand until the missing parts are replaced.
 This stand is designed for use with mitre saws and slide mitre saws with a blade diameter not larger than 450mm.
- Maximum weight of the mitre saw and workpiece together must not exceed 200 kg.
- Do not modify or use this stand for any purpose for which it is not intended.
- Always ensure the mitre saw used is mounted securely and is stable before plugging in the mitre saw.
- This stand is designed to be used on a flat, stable surface. Do not use the product on an uneven or unstable surface. Be sure to allow enough room to handle and properly support the workpiece.
- Follow the tool mounting instructions carefully, and ensure the tool is fastened securely.
- To reduce the risk of injury from the mitre saw moving or falling off the stand, always check that all mounting bolts and nuts are securely tightened before moving the stand or using the tool.
- Do not lift any part of the mitre saw that is attached to the stand.
- Do not climb, sit or stand on this stand.
- Do not use any attachments or accessories not recommended by the manufacturer of this tool. The use of attachments or accessories not recommended can result in serious personal injury.
- When servicing, use only identical replacement parts. Use of any other parts may create ahazard or cause product damage.
- Do not at any time let brake fluids, gasoline, petroleum-based products or penetrating 10



- oils come in contact with plastic parts. Chemicals can damage, weaken or destroy plastic which may result in serious personal injury.
- Save these instructions. Refer to them frequently and use them to instruct others who may use this accessory. If you loan someone this accessory, loan them these instructions also to prevent misuse of the product and possible injury.





Product description

- 1. Work Support
- 2. Length adjustment knob x2
- 3. Quick Release
- 4. Rapid Clamp Tool Mount
- 5. Work Surface
- 6. Height adjustment knob x2

- Extension handle 7.
- Handle
- 9. Adjustable Foot
- 10. Work Frame
- 11. Wheels
- 12. Wheels Support



TECHNICAL SPECIFICATIONS

Technical Data

> Height

> Length

> Max. loading

> Max. mount size

> Weight

665/845mm+/-20mm

920-1460mm+/-20mm

200kg(845mm),150kg(665mm)

<450mm

15.5kg +/-0.5kg





Assembly



SYMBOLS

Familiarise yourself with them to reduce hazards like personal injuries and damage to property.

yyWxx Manufacturing date code; year of manufacturing (20yy) and week of manufacturing (Wxx);



Caution / Warning.



Read the instruction manual.



Wear gloves.



Wear hearing protection.



Wear eye protection.



Wear respiratory protection.



Wear respiratory protection.



= Lightweight Aluminium Frame



WEEE symbol. Waste electrical products should not be disposed of with household waste. Please recycle where facilities exist. Check with your Local Authority or local store for recycling advice.

EMST200

Designation of the tool (**E**- Erbauer , **MST** - Mitre Saw Stand, **200** - Capacity kg)



UNPACKING

- Unpack all parts and lay them on a flat, stable surface.
- Remove all packing materials and shipping devices if applicable.
- Make sure the delivery contents are complete and free of any damage. If you find that parts are missing or show damage do not use the product but contact your dealer. Using an incomplete or damaged product represents a hazard to people and property.
- Ensure that you have all the accessories and tools needed for assembly and operation. This also includes suitable personal protective equipment.



WARNING! Do not connect to power supply until assembly is complete. Failure to comply could result in accidental starting and possible serious injury.

03

ASSEMBLING THE MACHINE

YOU WILL NEED

(items not supplied)

12mm Open-end wrench or adjustment wrench 19mm Open-end wrench or adjustment wrench

MOUNTING THE WHEELS TO THE STAND (A)

- Insert wheel into the wheel locator and secure with nut and bolt . Repeat for the other wheel.

ADJUST THE WORK HEIGHT (B)

- Pull downwards the quick release and raise the table, while placing foot on wheel cross member. Release quick release when stand is at correct height.

TO INSTALL THE WORK SUPPORT (C)

- Slide the work support shaft through the hole in the top of the work support mounting bracket.
- Ensure that the work support is orientated correctly.
- Insert the height adjustable knob through the small hole on the side of the work support mounting bracket and tighten to secure.

LOCK AND UNLOCK WHEELS (D & E)

- Lock the wheel by depressing the lock mechanism attached to each wheel.
- Pressing down on the end (marked), locks the wheel .(pressing down where it says" "unlocks the wheel).



Use

OPERATION INSTRUCTION

Attaching your Mitre Saw to the Tool Mounts (F)

- Unplug the saw and lock the saw arm in the down position, place a tool mount underneath the saw, aligning the mounting holes on the mitre saw base with the slot in the top of the tool mount.
- Fix carriage bolt up through both the tool mount and a mounting hole in the saw. Secure in place using a flat washer. Lock washer and nut, repeat on the other end of the tool mount.
- Alternatively the Mitre Saw can be mounted on a base board. This base board can then be used to attach the Mitre Saw to the Tool Mounts.



WARNING! Make sure both tool mounts are parallel to each other, tighten all four nuts to hold in position.

Mounting the mitre saw on the stand (G)

- Use the handles located at the front of the tool mounts to aid in installing or removing saw and bracket assembly.
- Lift the saw and tool mount assembly, allowing the assembly to tilt slightly away from you.
- While still tilted away from to you, hook the rear edge of the tool mount assembly onto the rear rail of the stand. Lower the tool mount assembly to allow the front edge of the tool mount to seat fully over the front rail.
- Check position and adjust, if necessary, to make sure the weight of the saw is evenly balanced over the rails.
- Ensure the saw is fully seated and locked in position, then check the four nuts holding the saw to the tool mounts are fully tightened.



WARNING! All wheels must be locked before use to prevent movement and serious injury.



To remove the Mitre Saw from the Stand (H & I)

- Raise the locking levers to unlock the saw and tool mounts.
- Grasp the handles on either side of the assembly and lift away from the front rail of the stand to disengage.
- With the assembly tilted slightly away from you, lift the assembly to disengage from the rear rail of the stand.

USING THE EXTENSION RAILS (J)

- Use the extension rails when working with larger work pieces.
- Loosen the extension adjustable knob, extend the rail to the desired position and tighten the extension adjustable knob.
- Ensure that the top of the rollers is level with the surface of the Mitre Saw table.

USING THE WORK SUPPORT (K)

- Raise the work support whenever you need to make repetitive cuts of the same size. Use the flat side of the work support to rest the work piece against.
 To avoid a greater risk of binding or pinching, do not use both work supports at the same time.
- Loosen the adjustable knob, raise the work support to the desired position and tighten the knob.

ADJUSTING THE ADJUSTABLE FOOT (L & M)

- To level the stand, first to loosen the Locking Ring and turn the Adjustable
- Foot or clockwise/counter-clockwise to extend it or retract it.
- Adjust the Adjustable Foot until the Stand is level and both legs are in contact with the floor.
- Tighten the Locking Ring securely.

TRANSPORTING AND STORING (N & O)

- Before storing or transporting, make sure all attachments are secure and mitre saw has been removed. Check the wheel locks are released.
- Pull down the quick release, lower the stand and release it when the stand is fully lowered.
- Work Stand can be transported by grasping the handle with one hand and rolling on its wheels.



Care & maintenance



WARNING! To ensure safety and reliability, all repairs should be performed by a qualified service technician.



WARNING! When servicing, use only identical replacement parts. The use of any other parts may create a hazard or cause damage to the tool.



WARNING! To avoid injury from unexpected starting or electric shock unplug the tool from the power supply before cleaning or performing any maintenance.

CLEANING

- Keep your mitre saw stand clean.
- Avoid using solvents when cleaning plastic parts.
- Most plastics are susceptible to damage from various types of commercial solvents and may be damaged by their use. Use clean cloths to remove dirt, dust, oil, grease,etc.



WARNING! Do not use chemical, alkaline, abrasive or other aggressive detergents or disinfectants to clean this product as they might be harmful to its surfaces.

REPAIR

- This product does not contain any parts that can be repaired by the consumer.
- Contact a qualified specialist to have it checked and repaired.



STORAGE

- Clean the product as described above.
- Store the product and its accessories in a dry, frost-free place.
- Always store the product in a place that is inaccessible to children. The ideal storage temperature is between 10 and 30°C.
- We recommend using the original package for storage or covering the product with a suitable cloth to protect it against dust.

TRANSPORTATION

- Switch the product off and remove the plug before transporting it anywhere.
- Attach transportation guards, if applicable.
- Always carry the product by its handles.
- Protect the product from any heavy impact or strong vibrations which may occur during transportation in vehicles.
- Secure the product to prevent it from slipping or falling over.





Guarantee

At Erbauer we take special care to select high quality materials and use manufacturing techniques that allow us to create ranges of products incorporating design and durability. We carry out stringent testing procedures on all our tools and are confident that they can provide regular, sustained daily use during the period covered. That's why we offer a 2 year guarantee against manufacturing defects on our Erbauer power tool products.

This power tool is guaranteed for 2 years from the date of purchase, if bought in store, delivered or if bought online. You may only make a claim under this guarantee upon presentation of your sales receipt or purchase invoice. Please keep your proof of purchase in a safe place.

This guarantee covers product failures and malfunctions provided the Erbauer power tool was used for the purpose for which it is intended and subject to installation, cleaning, care and maintenance in accordance with standard practice and with the information contained above and in the user manual. This guarantee does not cover defects and damage caused by or resulting from:

- · Normal wear and tear
- · Overload, misuse or neglect
- · Repairs attempted by anyone other than an authorised agent
- Cosmetic damage
- · Damage caused by foreign objects, substances or accidents
- · Accidental damage or modification
- Failure to follow manufacturer's guidelines
- · Loss of use of the goods

This guarantee is limited to parts recognised as defective. It does not, in any case, cover ancillary costs (movement, labour) and direct and indirect damage.

If the Erbauer power tool is defective during the guarantee period, then we reserve the right, at our discretion, to replace the item with a product of equivalent quality and functionality or to provide a refund.

This guarantee only applies to the country of purchase or delivery and is not transferrable to any other countries. This guarantee is non-transferrable to any other person or product. Relevant local law will apply to this guarantee.

Guarantee related queries should be addressed to a store affiliated with the distributor from where you purchased the Erbauer power tool.

This guarantee is in addition to and does not affect your statutory rights relating to faulty goods as a consumer.



Erbauer

Manufacturer, Fabricant, Producent, Hersteller, Producător, Fabricante:

Kingfisher International Products Limited
3 Sheldon Square
London
W2 6PX
United Kingdom
www.kingfisher.com/products



Distribuidor:

B&Q plc, Chandlers Ford, Hants, SO53 3LE United Kingdom www.diy.com

Screwfix Direct Limited, Trade House, Mead Avenue, Yeovil, BA22 8RT, United Kingdom www.screwfix.com

To view instruction manuals online, visit www.kingfisher.com/products