

Product datasheet


Specifications



Spacial - Cable entry membrane type FL21 with 37 entrances IP66

Local distributor code:
392869328

NSYAECPLT35



EAN Code: 3606480169045

Overview

Lead Time Usually Ships within 4 Weeks

Main

Range	Spacial
Product Or Component Type	Cable entry membrane
Accessory / Separate Part Category	Cable management accessory
Device Application	Multi-purpose
Range Compatibility	Spacial Spacial S3D compact enclosure Spacial Spacial CRN compact enclosure Spacial Spacial SF suitable enclosure
Device Composition	1 membrane 1 fixing elements
Quantity Per Set	Set of 1

Complementary

Mounting Support	Cable gland plate
Material	TPE (thermoplastic elastomer)
Fixing Mode	By fixing element
Total Cable Entry Number	35
Cable Entry Number	14 x 8...12 mm 16 x 10...14 mm 2 x 12...18 mm 1 x 17...32 mm 2 x 6...10 mm
Height	40 mm
Width	214 mm external: 194 mm fixing center:
Depth	62 mm fixing center: 88 mm external:
Colour	Grey (RAL 7035)
Net Weight	0.34 kg

Environment

Ip Degree Of Protection	IP66
Flame Retardance	V0 conforming to UL 94
Ambient Air Temperature For Operation	-40...100 °C

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Characteristic	Oil resistant conforming to UL 157 FIMKO UV resistant Weatherproof Fire resistance conforming to UL 94 V0
-------------------------------------	--

Packing Units

Unit Type Of Package 1	PCE
-------------------------------	-----

Number Of Units In Package 1	1
-------------------------------------	---

Package 1 Height	5.08 cm
-------------------------	---------

Package 1 Width	8.89 cm
------------------------	---------

Package 1 Length	22.86 cm
-------------------------	----------

Package 1 Weight	322.054 g
-------------------------	-----------

Unit Type Of Package 2	CAR
-------------------------------	-----

Number Of Units In Package 2	20
-------------------------------------	----

Package 2 Height	20 cm
-------------------------	-------

Package 2 Width	31 cm
------------------------	-------

Package 2 Length	40 cm
-------------------------	-------

Package 2 Weight	6.73 kg
-------------------------	---------

Unit Type Of Package 3	PAM
-------------------------------	-----

Number Of Units In Package 3	800
-------------------------------------	-----

Package 3 Height	93 cm
-------------------------	-------

Package 3 Width	100 cm
------------------------	--------

Package 3 Length	120 cm
-------------------------	--------

Package 3 Weight	267 kg
-------------------------	--------

Contractual warranty

Warranty	18 months
-----------------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations