

Instructions for Use. Please Read Before Use.



Product ref# MAXIM ORANGE

A. Use: These gloves are designed for single use only and should be disposed of after use. A liquid proof design allows for protection against certain chemicals. Following suitable risk assessment, typical applications may include: domestic and household, product examination, cleaning, food processing * and industrial applications. UCI will not be held responsible for the improper use of the product for non-designated purposes.

B. Precautions For Use: Before use, inspect for any defects or imperfections. If in doubt, discard the gloves and select a new pair. Protection against risks or hazards not mentioned in this document is not warranted. • The levels of performance mentioned are only valid for new gloves. • You are advised to retain this packaging for future reference. • These instructions can be electronically requested via our technical team. • If this product is sold individually (and does not include a User Information Sheet), or in broken packs, then it is the reseller's responsibility to provide the legal information and instructions for use and where applicable translations into the language of the destination country. If gloves are to be used with chemicals: • Consult the subsequent user instruction to ensure these gloves are suitable for the intended purpose. • Keep all chemicals away from direct skin contact, even if thought to be harmless. If contact occurs, wash the affected area immediately and seek assistance, contacting a suitable, qualified professional. • Gloves that have been in contact with chemicals should be removed and disposed of as quickly as possible following use. • Ensure chemicals or residuals cannot enter via the cuff and come in contact with skin. • These gloves should not be used in applications which require mechanical and/or thermal protection. • Discontinue use immediately if signs of tearing, swelling or degradation appears. **C. Ingredients / Hazardous Ingredients :** Some gloves may contain ingredients which are known to be a possible cause of allergies to sensitive individuals, including irritation and/or allergic reactions. If this occurs, seek appropriate medical advice immediately. This product is made from 100% synthetic nitrile polymer and does not contain natural latex proteins. **D. Storage:** Keep out of direct sunlight, storing in a cool, dry, well ventilated and clean location. Keep away from sources of ozone or ignition. Gloves should be kept in their original packaging. This product has a shelf life of 5 years from date of manufacture. (See EXP DATE / MFG DATE for more info). **E. Cleaning:** These gloves are not designed to be laundered or cleaned and are for single use only.

F. Disposal: Used gloves may be contaminated with infectious or other hazardous materials. Dispose of according to local authority regulations. Landfill or incinerate under controlled conditions. **G. Composition:** This product is made from 100% synthetic nitrile polymer and does not contain natural latex proteins. **H. Limitations / Caution** • The information enclosed is for products in a new condition and does not reflect the actual duration of protection in the workplace nor does it reflect the potential differentiation between 'mixtures' and 'pure chemicals'. • Before use, it is recommended to check that the gloves are suitable for the intended use because the conditions at the workplace may differ from the type test depending on temperature, abrasion and degradation. • The chemical resistance has been assessed under laboratory conditions from samples taken from the palm only (except in cases where the glove is equal to or over 400 mm - where the cuff is tested also) and relates only to the chemical tested. It can be different if the chemical is used in a mixture. • When used, protective gloves may provide less resistance to the dangerous chemical due to changes in physical properties. Movements, snagging, rubbing, degradation caused by the chemical contact etc. may reduce the actual use time significantly. For corrosive chemicals, degradation can be the most important factor to consider in selection of chemical resistant gloves. • The penetration resistance has been assessed under laboratory conditions and relates only to the tested specimen. • Degradation levels indicate the change in puncture resistance of the gloves after exposure to the challenge chemical. • The penetration resistance has been assessed under laboratory conditions and relates only to the tested specimen.

If more information is required, please contact your local distributor in the first instance. More information including Declaration of Conformity can be obtained from the following link: www.ultimateindustrial.co.uk (using the search function) or by contacting the UCI technical team quoting the product reference: **MAXIM ORANGE**

Hand Sizes Available:	7 (S)	8 (M)	9 (L)	10 (XL)	11 (XXL)	12 (XXXL)
------------------------------	-------	-------	-------	---------	----------	-----------

SKU QTY: 1	SIZE: M	SC: DG-MAXIM-OR	MAXIM
-------------------	----------------	------------------------	--------------

These gloves are in compliance with and are labelled according to the requirements of the PPE Regulation (EU) 2016/425 and subsequent amendments and comply with the applicable technical European Standards detailed in this document. They are also in compliance with the European Standards: EN 420:2003+A1:2009 and EN ISO 374-1:2016 Assess your actual workplace conditions to determine if these gloves are appropriate for the specified use.

EN ISO 374-1:2016

/ TYPE B



J K T P



EN ISO 374-5:2016



CAT. III
CE 0321



Tested in Accordance With:	Chemical	Code	Permeation Resistance EN ISO 374-1:2016 / Type B †	EN374-4:2013 Degradation (%) ††
EN ISO 374-1 TYPE B J K T P	n-Heptane	J	5	27.7
	Sodium Hydroxide (40%)	K	6	-16.1
	Ammonium Hydroxide (25%)	O	1	15.3
	Formaldehyde (37%)	T	6	19.6
	Hydrogen Peroxide (30%)	P	4	47.4

† The numbers indicate performance levels

†† EN374-4:2013 Degradation levels indicate the change in puncture resistance of the gloves after exposure to the challenge chemical.

EN ISO 374-1:2016 Permeation levels based on breakthrough times as follows ††† :						
Performance Level						
0	1	2	3	4	5	6
Minimum Breakthrough Time (mins)						
0	10	30	60	120	240	480

††† The penetration resistance has been assessed under laboratory conditions and relates only to the tested specimen.

EN 374-2:2014	
AIR LEAK	PASS
WATER LEAK	PASS

Tested in Accordance With:	
ISO 374-5:2016	Protective Gloves Against Micro-Organisms.
	Gloves Protecting Against Bacteria and Fungi.

NITRILE

Notified Body responsible for certification and ongoing conformity: SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northants, NN16 8SD.
Notified Body No: 0321

Manufactured in Thailand for:
Ultimate Industrial Limited
Victoria House
Colliery Road, Wolverhampton,
WV1 2RD, United Kingdom

www.ultimateindustrial.co.uk



Ultimate Industrial