



# INSTRUCTION MANUAL

## LOG CART

(100KG MAX LOAD CAPACITY)

Model No: THLC -- Product No: 1938149001

ASSEMBLY REQUIRED

SAVE THESE INSTRUCTIONS

SPARES & SUPPORT: 01793 333212

Please read & understand this manual, paying attention to the safety instructions before use.

We reserve the right to change the product specification & livery according to continued product improvements.



# CONTENTS

**SPECIFICATION**  
**IMPORTANT INFORMATION**  
**GENERAL SAFETY INSTRUCTIONS**  
**ASSEMBLY**  
**MAINTENANCE & STORAGE**  
**PARTS LIST**  
**WARRANTY**

If you require any assistance with regards to the contents or operation of your machine, please contact us:

**Tel: 01793 333212**

**Email: [customerservice@handydistribution.co.uk](mailto:customerservice@handydistribution.co.uk)**

**Monday to Friday 8.00am to 5.30pm (excl. Bank Holidays)**

## SPECIFICATION

The manufacturer reserves the right to change the product specification and livery according to continued product improvements.

<b>Model</b>	<b>THLC</b>
<b>Product No.</b>	<b>1938149001</b>
<b>Max. Load Capacity</b>	<b>100kg</b>
<b>Overall Dimensions</b>	<b>L 35 x W 46 x H 105cm</b>
<b>Wheel Size</b>	<b>8in x 1.75in Solid Wheel</b>
<b>Weight</b>	<b>N.W 6.6kg</b>

Consistent with our policy of continuous improvement, GJ Handy & Co. Ltd reserves the right to change the design and configuration of any of its products without notice or obligation. Therefore, please treat the text and images in this manual as being for illustrative purposes only. They may in no case serve as a basis for any legal claim.

# IMPORTANT INFORMATION



## WARNING

Read this instruction manual carefully before operating this machine. Make sure that you are familiar with the controls and properly operate the machine. Following these instructions can reduce the risk of fire, electric shock and personal injury.

### IF NOT USED PROPERLY THIS MACHINE CAN BE DANGEROUS!

This machine can cause serious injury to the operator and others, the warning and safety instructions must be followed to ensure reasonable safety and efficiency in using this product. The operator is responsible for following the warning and safety instructions in this manual and on the machine.

### DESIGNED FOR DOMESTIC USE ONLY.

The Log Cart is designed for use in private gardens and primarily used around **GRASS OR LAWN AREAS**, but not in public facilities, parks or sports grounds and not for agricultural or forestry use. This product is not intended for commercial use.

This is a garden log cart, therefore extended use over abrasive surfaces (e.g. concrete, tarmac etc.) could cause premature wear on the cart wheels. Commercial or industrial environments are not recommended.

Compliance with this manual supplied by the manufacturer is a prerequisite for the proper usage of the machine. The operating manual contains servicing and maintenance instructions as well as directions for use.

## TRAINING

Read the instructions carefully: Be familiar with the controls and the proper use of the equipment. Never allow children or people unfamiliar with these instructions to use the product. Local regulations can restrict the age of the operator.








Never operate while people, especially children, or pets are nearby.

Keep in mind that the operator or user is responsible for accidents or hazards involving the machine that occur to other people or their property.

# GENERAL SAFETY INSTRUCTIONS

It is important that you read and understand the owner's manual and labels affixed to the machine. Learn its application and limitations as well as the specific potential hazards. Retain these instructions for future reference. The operator is responsible for following the warnings & instructions in this manual and on the product.

## SYMBOLS

	Read & understand operator's manual before using the machine. Failure to follow instructions could result in death or serious injury.		Do not expose to rain or damp conditions for extended periods of time.
	Wear gloves to protect your hands. Wear sturdy non-slip foot protection.		Safety alert symbol. Used to alert you to potential personal injury hazards. Obey all safety messages that follow this symbol to avoid possible injury.
	Indicates an imminently hazardous situation which, if not avoided, will result in serious injury.		Indicates a potentially hazardous situation which, if not avoided, could result in serious injury.
	Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury.	<b>CAUTION</b>	Used without the safety alert symbol, indicates a potentially hazardous situation which, if not avoided, may result in property damage.

## **DURING OPERATION**

- This is a garden cart, therefore extended use over abrasive surfaces (e.g. concrete, tarmac etc.) could cause premature wear on the trolley tyres.
- Always ensure that your load is evenly distributed over both wheels.
- Do not at any time allow anyone to sit or stand on the Cart.
- Do not allow children to play on, stand upon or climb in the Cart.
- Always inspect the Cart before use to ensure it is in good working condition.
- Immediately replace or repair damaged or worn parts before using the Cart.
- Always check and tighten hardware and assembled parts before operation.
- Do not exceed the equipment maximum load capacity of 100kg.
- Do not try to carry loads that make the Cart unstable.
- Avoid large holes and ditches when using the Cart.
- Be careful when operating on steep gradients (hills) the Cart may tip over.
- Always operate at a reduced speed in rough terrain, along creeks, ditches and on hillsides.
- Do not operate close to creeks, ditches and public roads.
- To avoid personal injury and/or equipment damage DO NOT EXCEED 5 MPH.
- Always use caution when loading and unloading the Cart.

## **CRUSH AND CUT HAZARDS**

- Always keep your hands and feet clear from moving parts while operating the equipment.
- Always keep the work area clean and clear when operating

## **STAY ALERT**

Do not operate the machine while under the influence of drugs, alcohol, or any medication that could affect your ability to use it properly. Do not use this machine when you are tired or distracted from the job at hand. Be aware of what you are doing at all times. Use common sense.

## **AVOID DANGEROUS CONDITIONS**

Make sure there is adequate surrounding workspace. Cluttered areas invite injuries.

Keep your work area clean with sufficient light. Keep the area around the machine clear of obstructions, grease, oil, rubbish and other debris which could cause persons to fall onto moving parts.

## **INSPECT YOUR MACHINE**

Check all bolts, nuts, and screws for tightness before each use, especially those securing guards and drive mechanisms. Vibration during use, may cause these to loosen.

Form a habit of checking to see that all other tools/equipment are removed from the working area before turning it on.

Replace damaged, missing or failed parts before using it. Warning labels carry important information. Replace any missing or damaged warning labels.

## **DRESS PROPERLY**

Do not wear loose clothing, gloves, scarfs, neckties or jewellery (rings, wrist watches), which can be caught in moving parts. Non-skid heavy-duty footwear are highly recommended when working.

Wear protective hair covering to contain long hair, preventing it from getting caught in machinery.

## **KEEP BYSTANDERS AND CHILDREN AWAY**

Keep unauthorised persons a minimum distance of 10 metres away from the machine. If approached, stop the machine immediately. Do not allow children to handle, climb on or in the machine. Do not at any time allow anyone to sit or stand on the Cart. Do not allow children to play on, stand upon or climb in the Cart.

## **DO NOT OVERREACH**

Always keep proper footing and balance when using the machine. Never stand on the machine. Serious injury could occur if the machine is tipped or if the moving parts are unintentionally contacted. Do not store anything above or near the machine, where anyone might stand on the machine to reach them.

**AVOID INJURY FROM UNEXPECTED ACCIDENT**

Keep hands & feet out of the way of all moving parts. Do not place any part of your body or any tool e.g. in the machine during operation.

**DO NOT FORCE TOOL**

Do not exceed the equipment maximum load capacity of 100kg  
Always ensure that your load is evenly distributed over both wheels.  
Do not try to carry loads that make the Cart unstable.

**NEVER LEAVE MACHINE RUNNING UNATTENDED**

Do not leave your machine unattended until it has come to a complete stop.

**MAINTAIN YOUR MACHINE WITH CARE**

Clean the machine immediately after use. Keep the machine clean to ensure it operates to its full & safest performance. When maintaining this machine, only the manufacturer's original replacement parts should be used. The use of non-original manufacturer parts may invalidate your warranty.

**PROTECT THE ENVIRONMENT**

Take left over materials to an authorised collection point or follow the stipulations in the country where the machine is used. Do not discharge into drains, soil or water.

**STORE IDLE EQUIPMENT**

When not in use, the machine should be stored in a dry location. Keep the machine away from children and others not qualified to use it.

**PREPARATION**

Thoroughly inspect the area where the equipment is to be used and remove all objects which can be thrown by the machine.

Only use accessories approved by the manufacturer (if applicable).

Do not operate the machine while under the influence of alcohol or drugs.

Never operate the machine in wet grass or conditions. This could cause you to slip while using.

**MAINTENANCE AND STORAGE**

Keep all nuts, bolts and screws tight to be sure the equipment is in safe working condition.











Replace worn or damaged parts for safety.

Keep the machine free of leaves, or other debris build-up.

# ASSEMBLY

Follow the operating instructions step-by-step and use the pictures provided as a visual guide to easily assemble the machine. Do not operate the machine until assembly has been completed. Please ensure that you have all the below necessary parts, before commencing with the assembly. In the unlikely event that you are missing a component, please do contact us on 01793 333212, option 2 or email [customerservice@handydistribution.co.uk](mailto:customerservice@handydistribution.co.uk) for assistance.

## WHAT IS INCLUDED

	Leg x2		PVC Cover
	Axle		M8x40 Bolt x4
	Front Frame		M8 Nut x4
	Handle		M12 Wheel Washer x2
	8x1.75 Wheel x2		2.5x40 Split Pin x2

### STEP 1

Link the two Legs together, using the Axle.



### STEP 2

Put a Wheel onto the Axle, following by a M12 Wheel Washer & secure by inserting a 2.5x40 Split Pin through the hole at the end of the Axle. Split the legs of the Split Pin to secure. Repeat on the opposite side.



### STEP 3

Attach the Front Frame to the Legs, aligning the holes. Secure by using 1x M8 Bolt and M8 Nut. Repeat on the other side. Do not fully tighten.



### STEP 4

Attach the Handle to the Legs, align the fixing holes and using M8 Bolt and M8 Nut secure. Repeat on the other side. **Fully tighten all nuts and bolts from Steps 3 & 4.**





## STEP 5

Place the Bag/Cover over the Handle and side down to cover your logs. Secure by fastening the Velcro strips.



## OPERATION



**WARNING!**

Before operating the product, ensure that the wheels are secured correctly and all nuts and bolts are fully tightened. The product should also be undamaged.



**WARNING!**

**CAUTION: DO NOT overload the truck. Do not exceed the Maximum Load Capacity of 100kgs.**

**DO NOT attempt to carry loads which make the truck unstable**

- Place the load on the toe plate (ensure the General Safety Instructions are followed).
- Once you're happy the load is in position, take a moment to think about the area you will be passing with the truck, to ensure no trip hazards or obstacles are in the way.
- Slowly lean the truck backwards to take the weight of the load, ensuring your feet are shoulder width apart and one foot is slightly in front of the other, to assist with your balance.
- Proceed pushing the truck at a safe speed, especially at corners where the load could shift.
- On inclines and slopes, extra care should be taken.
- Always use a ramp for steps and curbs.

## MAINTENANCE & STORAGE



**WARNING**

Improper maintenance & storage of the machine may void your warranty. Keep the machine clean for better and safer performance.

### MAINTENANCE

- Before each use, check all nuts & bolts to be sure they are sufficiently tightened.
- Keep all moving parts lightly greased/oiled, using multi-purpose grease or maintenance spray.
- We recommend only manufacturer original parts are used when maintaining this machine. Failure to do so could invalidate your manufacturer's warranty.











## CLEANING

- Keep your cart clean.
- Thoroughly clean the machine at the end of each day's operation.
- Brush any dirt, grime or dust off the cart.

## STORAGE

- Store indoors or in a protected area during severe weather, winter months & avoid direct sunlight.
- Ensure the truck is not accessible to bystanders, who may try to stand on the truck to reach items which are up high.

## PARTS LIST – THLC (1938149001)

Item	Part No.	Description/ Qty	Item	Part No.	Description/ Qty
	TH233-1	Leg x2		TH233-6	PVC Cover X1
	TH233-2	Axle x1		TH233-7	M8x40 Bolt x4
	TH233-3	Front Frame x1		TH233-8	M8 Nut x4
	TH233-4	Handle x1		TH233-9	M12 Wheel Washer x2
	TH233-5	8x1.75 Wheel x2		TH233-10	2.5x40 Split Pin x2

# GJ HANDY & CO LTD USER WARRANTY POLICY

## **Users Statement of Warranty**

Each new machine is warranted against defective material or assembly of material under normal usage. The warranty applies to the original purchaser and covers faulty parts and the labour involved in replacing and repairing those parts, which are of original manufacture.

## **Period of Warranty**

### **All Webb & Webb Pro machines plus Sanli engines.**

- a) 2 years from the original date of sale to the first domestic user.
- b) 90 days from the original date of sale to the professional/commercial user.
- c) 90 days from the original date of sale when used for hire.
- d) A reduced warranty period of 90 days applies to those items which are subject to normal wear and tear (e.g. but not limited to wheels, tyres, cutter bars, cylinders, bottom blades, belts, cables, grass bags, spark plugs).
- e) Engines as per the manufacturer's warranty statement which will be supplied with the machine.
- f) 90 days from the original date of purchase for Replacement Spare Parts (unless normal wear & tear component, which are covered for 30 days).
- g) All machines' must be serviced within the first 12 months from the original date of purchase to comply with the warranty, failure to do so will invalidate the 2nd year of the warranty.

### **All Handy, Mowerland and Q-Garden products.**

- a) 1 year from the original date of sale to the first domestic user.
- b) 90 days from the original date of sale to the professional/commercial user.
- c) 90 days from the original date of sale when used for hire.
- d) A reduced warranty period of 90 days applies to those items which are subject to normal wear and tear (e.g. but not limited to wheels, tyres, cutter bars, cylinders, bottom blades, belts, cables, collection bags, spark plugs).
- e) Engines as per the manufacturer's warranty statement which will be supplied with the machine.
- f) 90 days from the original date of purchase for Replacement Spare Parts (unless normal wear & tear component, which are covered for 30 days).

All warranty repairs must be undertaken by an authorised service dealer. These dealers have been accredited by GJ Handy & Co Ltd and agree to only use genuine parts and follow our repair procedures.

# GJ HANDY & CO LTD USER WARRANTY POLICY

## **Not covered by this warranty**

- a) The warranty policy does not cover any depreciation or damages caused by ordinary wear, rusting or corrosion, lack of correct maintenance or operation, misuse, abuse, lack of transportation or accident.
- b) The warranty policy does not cover any costs necessary for the standard periodic maintenance services instructed by the operator's manual, or service parts replacement which would include oil, filters, tyres, belts, brake linings, fuses, blades, seals and other service parts unless it can be proven that the item has evidence of faulty manufacture.
- c) The warranty policy will not cover failure or damage caused as a result of parts or accessories being modified without the written approval of GJ Handy & Co Ltd.
- d) The warranty policy will not cover the unit if non-genuine parts have been fitted and as a result damage has occurred to the unit.
- e) The warranty policy is non-transferable and is only applicable to the original purchaser.

## **Disclaimer**

- a) This warranty is only a remedy for defect of products. GJ Handy & Co Ltd will never warranty in terms of the merchantability or the fitness for a particular purpose.
- b) No person is authorised to make any warranties, representations or promises, expressed or implied, on behalf of GJ Handy & Co Ltd, or to modify the terms conditions or limitation of this warranty policy in any way.
- c) Neither GJ Handy & Co Ltd nor any company affiliated with GJ Handy & Co Ltd shall be liable in any event or manner whatsoever for incidental or consequential damages or injuries, including, but not limited to, loss of crops, loss of profit, out of pocket expenses or profits, rental of substitute equipment or other commercial losses.

## **General**

- a) Most warrantable failures show up within the first few weeks of use. These failures are usually straightforward and warranty assessment is relatively easy.
- b) Failures relating to cutter decks and belts need careful investigation, as the cause may not always be straightforward. Look for damage to blades and pulleys especially when the cutter belt or blade boss have snapped or cracked as this could be due to impact damage.
- c) Customers should always refer to the operator/instruction manual when any disputed problem arises, you will find most areas covered within the manual.







For spares or support of your Handy product,  
please contact us:

Tel: 01793 333212

Email: [customerservice@handydistribution.co.uk](mailto:customerservice@handydistribution.co.uk)  
(Mon – Fri 8.00am to 5.30pm excl. Bank Holidays)

**To see our range of garden machinery & equipment visit:**

**[www.thehandy.co.uk](http://www.thehandy.co.uk)**

**Making gardening easier & affordable since 1938**

Distributed by Handy Distribution, Murdock Road, Dorcan, Swindon, SN3 5HY