660 Oil Resistant



Cotton knit PVC coating

DESCRIPTION

- · Fully coated, extra coating over entire hand
- · Scalloped edge
- · Rough finish over entire surface
- · Antibacterial and anti-odour treatment
- · Special hydrocarbon treatment
- · Anatomical shape
- Seamless knit



- A flexible, soft glove that absorbs perspiration, for ultra comfortable extended wear and with good mechanical resistance.
- Seals and protects the hand against chemicals while remaining flexible
- Impermeable for working in damp or greasy environments, enabling you to grip objects securely
- · Surface provides tactile feel and better grip
- Greater hygiene

AVAILABLE SIZES

LENGTH

THICKNESS

in mm

- · Designed for easy movement and continuous wear
- · No irritation by seams in contact with the skin
- · Wrist well protected

RECOMMENDED FOR THESE RISKS:

Grip

Chemical protection

RECOMMENDED FOR THESE LINES OF WORK:

Automotive

Maritime sector

Mettalurgy

• The size given corresponds to a well fitting glove

Dependent on size, in mm (flat)

COLOUR OF SUPPORT/COATING

- The stated impermeability performance level (EN374-3) does not reflect the actual protection level at the place of work – other factors may influence the performance.
- Do not use with chemicals other than those tested without prior trials
- · Store away from light and humidity
- Rinse the gloves in running water before removing, using a neutral detergent if necessary



Globus Building 14 Central Park, Mosley Road Trafford Park, Manchester M17 1NY

Tel: 0161 877 4747 **Fax:** 0161 877 4746 www.globus.co.uk



ABRASION CUTTING 012345

TEARING PUNCTURE 01234



EN 374-3 - 2003

J - N-HEPTANE **K** - CAUSTIC SODA 40% 0 1 2 3 4 5 6 0 1 2 3 4 5 6

8/M • 9/L • 10/XL • 11/XXL

300-320

Blue

1,30

L - SULPHURIC ACID 96% 0 1 2 3 4 5 6

[Updated 28/07/2014]





