

FIRE RATED LED DOWNLIGHT COMPACT BAFFLED DIM2WARM

ASSEMBLY AND INSTALLATION

- This product is only suitable for indoor use
- This product is suitable for direct insulation cover (layover and blanket)
- This product must be disconnected before insulation resistance testing of the lighting circuit
- IP65 rated – zone 1 & 2 suitable





6W LED	480 LUMINAIRE LUMENS	25,000 HOURS	IP65 RATED	Insulation Coverable
BEAM ANGLE 60°	CRI >80	30-60-90 min FIRE RATED	Acoustic Part E	5 year standard WARRANTY



The light source of this luminaire is not replaceable; when the light source reaches its end of life the whole luminaire should be replaced.

NOTE – To comply with regulations, installation must be carried out by suitably qualified competent person and in accordance with the current IEE Wiring Regulations (BS7671) and Building Regulations. A copy of the instructions must be left for the user/Maintenance engineer for future reference.

For Non-UK, Please refer/consult local requirements. ENSURE ELECTRICAL SUPPLY IS DISCONNECTED/ISOLATED BEFORE COMMENCING INSTALLATION



Tech Help Line

UK - **0330 0249 279**

Non UK - **+44 (0)1952 238 100**

Supplied by LUCECO

Stafford Park 1
TF3 3BD ENGLAND

Kontakt

UK - **0330 0249 279**

Non UK - **+49 40 89066 878 - 29**

Geliefert von Luceco
GmbH Holstenplatz 20b,
22765 Hamburg DEUTSCHLAND

Support Technique

UK - **0330 0249 279**

Non UK - **+33 (0)1 61 10 10 35**

Notice fournie par
Luceco SAS France & Belux 3
Rue de Courtalin, Magny Le Hongre 77700
FRANCE & BELUX

Servicio de asistencia telefónica

UK - **0330 0249 279**

Non UK - **+34 93 829 55 74**

(EU) Luceco SE
C/Bohinadora 1-5 08302 Mataró
Barcelona, Spain


Assistenza tecnica telefonica

UK - **0330 0249 279**


Non UK - **+39 0434 1696795**

Fornito da BG Electrical Ltd Nexus
Italia, Via Amman 10 33170
Pordenone, Italy

⑤ CLOSE LID




⑥




Push up spring legs

⑦




Magnetic bezel

⑧



ONLY TO BE USED WITH LAYOVER OR BLANKET INSULATION



Tech Help Line

UK - **0330 0249 279**
Non UK - **+44 (0)1952 238 100**
Supplied by LUCECO
Stafford Park 1
TF3 3BD ENGLAND

Kontakt

UK - **0330 0249 279**
Non UK - **+49 40 89066 878 - 29**
Geliefert von Luceco
GmbH Holstenplatz 20b,
22765 Hamburg DEUTSCHLAND

Support Technique

UK - **0330 0249 279**
Non UK - **+33 (0)1 61 10 10 35**
Notice fournie par
Luceco SAS France & Belux 3
Rue de Courtalin, Magny Le Hongre 77700
FRANCE & BELUX

Servicio de asistencia telefónica

UK - **0330 0249 279**
Non UK - **+34 93 829 55 74**
[EU] Luceco SE
C/Bohinadora 1-5 08302 Mataró
Barcelona, Spain

Assistenza tecnica telefonica

UK - **0330 0249 279**
Non UK - **+39 0434 1696795**
Fornito da BG Electrical Ltd Nexus
Italia, Via Amman 10 33170
Pordenone, Italy


Visit our website at www.luceco.com Besuchen Sie uns auf www.luceco.de

Visitez notre site Web www.luceco.fr

Visite nuestra web en www.luceco.com

Visitate il nostro sito www.luceco.com

PRODUCT DIMENSIONS



CAT NO.	VOLTAGE / Hz	WATTAGE	LUMENS OF EACH COLOUR TEMPERATURE	EFFICACY Llm/W	BEAM ANGLE	POWER FACTOR	SUGGESTED CUTOUT	RECESS
EFCB60WD2W-01	220-240V 50-60Hz	6W	2200-2700K	80Llm/W	60°	0.9	67mm	60mm

