


Erbauer



EAN: 5059340394305
ERB337TCB-A

ORIGINAL INSTRUCTIONS

EN

V40921 BX220IM



Safety instructions



Product description



Assembly



Use



+




Care & maintenance




Guarantee



Declaration of Conformity




WARNING! Please read all safety warnings carefully and be sure that they are fully understood before handling the tool.




[17]



[8]




[2]




[11]




[14]



[9]



[15]




[13]




[18]




Product description




A




B




C




D




E




F




G




H




I




J




K




L




M




N



O



P





Safety instructions

GENERAL POWER TOOL SAFETY WARNINGS



Warning! Read all safety warnings, instructions, illustrations and specifications provided with this power tool. Failure to follow all instructions listed below may result in electric shock, fire and/or serious injury.

Save all warnings and instructions for future reference. The term "power tool" in the warnings refers to your mains-operated (corded) power tool or battery-operated (cordless) power tool.

1. Work area safety

- a) **Keep work area clean and well lit.** Cluttered or dark areas invite accidents.
- b) **Do not operate power tools in explosive atmospheres, such as in the presence of flammable liquids, gases or dust.** Power tools create sparks which may ignite the dust or fumes.
- c) **Keep children and bystanders away while operating a power tool.** Distractions can cause you to lose control.

2. Electrical safety

- a) **Power tool plugs must match the outlet. Never modify the plug in any way. Do not use any adapter plugs with earthed (grounded) power tools.** Unmodified plugs and matching outlets will reduce risk of electric shock.
- b) **Avoid body contact with earthed or grounded surfaces, such as pipes, radiators, ranges and refrigerators.** There is an increased risk of electric shock if your body is earthed or grounded.
- c) **Do not expose power tools to rain or wet conditions.** Water entering a power tool will increase the risk of electric shock.
- d) **Do not abuse the cord. Never use the cord for carrying, pulling or unplugging the power tool. Keep cord away from heat, oil, sharp edges or moving parts.** Damaged or entangled cords increase the risk of electric shock.
- e) **When operating a power tool outdoors, use an extension cord suitable for outdoor use.** Use of a cord suitable for outdoor use reduces the risk of electric shock.
- f) **If operating a power tool in a damp location is unavoidable, use a residual current device (RCD) protected supply.** Use of an RCD reduces the risk of electric shock.

3. Personal safety

- a) **Stay alert, watch what you are doing and use common sense when operating a power tool. Do not use a power tool while you are tired or**

under the influence of drugs, alcohol or medication. A moment of inattention while operating power tools may result in serious personal injury.

- b) **Use personal protective equipment. Always wear eye protection.** Protective equipment such as dust mask, non-skid safety shoes, hard hat, or hearing protection used for appropriate conditions will reduce personal injuries.
 - c) **Prevent unintentional starting. Ensure the switch is in the off-position before connecting to power source and/or battery pack, picking up or carrying the tool.** Carrying power tools with your finger on the switch or energising power tools that have the switch on invites accidents.
 - d) **Remove any adjusting key or wrench before turning the power tool on.** A wrench or a key left attached to a rotating part of the device may result in personal injury.
 - e) **Do not overreach. Keep proper footing and balance at all times.** This enables better control of the power tool in unexpected situations.
 - f) **Dress properly. Do not wear loose clothing or jewellery. Keep your hair and clothing away from moving parts.** Loose clothes, jewellery or long hair can be caught in moving parts.
 - g) **If devices are provided for the connection of dust extraction and collection facilities, ensure these are connected and properly used.** Use of dust extraction can reduce dust-related hazards.
 - h) **Do not let familiarity gained from frequent use of tools allow you to become complacent and ignore tool safety principles.** A careless action can cause severe injury within a fraction of a second.
4. **Power tool use and care**
- a) **Do not force the power tool. Use the correct power tool for your application.** The correct power tool will do the job better and safer at the rate for which it was designed.
 - b) **Do not use the power tool if the switch does not turn it on and off.** Any power tool that cannot be controlled with the switch is dangerous and must be repaired.
 - c) **Disconnect the plug from the power source and/or remove the battery pack, if detachable, from the power tool before making any adjustments, changing accessories, or storing power tools.** Such preventive safety measures reduce the risk of starting the power tool accidentally.
 - d) **Store idle power tools out of the reach of children. Do not allow persons unfamiliar with the power tool or these instructions to operate the power tool.** Power tools are dangerous in the hands of untrained users.
 - e) **Maintain power tools and accessories with care. Check for misalignment or binding of moving parts, breakage of parts and any other condition that may affect the power tool's operation. If damaged, have the power tool repaired before use.** Many accidents are caused by poorly maintained power tools.
 - f) **Keep cutting tools sharp and clean.** Properly maintained cutting tools with sharp cutting edges are less likely to bind and are easier to control.

- g) **Use the power tool, accessories, tool bits etc. in accordance with these instructions. Take into account the working conditions and the work to be performed.** Use of the power tool for operations different from those intended could result in a hazardous situation.
- h) **Keep handles and grasping surfaces dry, clean and free from oil and grease.** Slippery handles and grasping surfaces do not allow for safe handling and control of the tool in unexpected situations.

5. Service

- a) **Have your power tool serviced by a qualified repair person using only identical replacement parts.** This will ensure that the safety of the power tool is maintained.

ADDITIONAL SAFETY INSTRUCTIONS FOR YOUR TILE CUTTER

- Do not use diamond discs which are damaged or deformed.
- Replace table insert when worn.
- Use only diamond discs recommended by the manufacturer.
- Take care that the selection of the diamond discs is suitable for the material to be cut.
- Wear suitable personal protective equipment when necessary, this should include hearing protection to reduce the risk of induced hearing loss, respiratory protection to reduce the risk of inhalation of harmful dust, gloves when handling diamond discs and rough material.
- Never use blades on this machine.
- Use only diamond discs for which the maximum possible speed is not less than the maximum spindle speed of the tool and the material to be cut.
- Faults in the machine, including guards or diamond discs, should be reported as soon as they are discovered. Never use the machine without the guard in position.
- Maximum size of working piece should be 1m².
- This tile cutter should be used with limitations on ambient conditions (between 15°C and 30°C).
- The machine must be supplied through a residual current device (RCD) having a rated residual operating current not exceeding 30 mA.

FOR TOOLS INTENDED TO BE CONNECTED TO A WATER SUPPLY:

- For tools provided with a PRCD: Never use the tool without the PRCD delivered with the tool,
- For tools provided with an isolating transformer: Never use the tool without the transformer delivered with the tool or of the type as specified in the instructions,
- Replacement of the plug or the supply cord shall always be carried out by manufacturer of that tool or their service organisation.
- Keep water clear of the electrical parts of the tool and away from persons in the working area.

The following information applies to professional users only but is good practice for all users:

ADDITIONAL SAFETY WARNING FOR CONSTRUCTION DUST

The updated Control of Substances Hazardous to Health Regulations 1st October 2012 now also targets to reduce the risks associated with silica, wood and gypsum dusts.

Construction workers are one of the at-risk groups within this because of the dust that they breathe: silica dust is not just a nuisance; it is a real risk to your lungs! Silica is a natural mineral present in large amounts in things like sand, sandstone and granite. It is also commonly found in many construction materials such as concrete and mortar. The silica is broken into very fine dust (also known as Respirable Crystalline Silica or RCS) during many common tasks such as cutting, drilling and grinding. Breathing in very fine particles of crystalline silica can lead to the development of:

Lung cancer
Silicosis
Chronic Obstructive Pulmonary Disorder (Chronic obstructive pulmonary disease (COPD))
And breathing in fine particles of wood dust can lead to the development of Asthma
The risk of lung disease is linked to people who regularly breathe construction dust over a period of time, not on the odd occasion. To protect the lung, the COSHH Regulations sets a limit on the amount of these dusts that you can breathe (called a Workplace Exposure Limit or WEL) when averaged over a normal working day. These limits are not a large amount of dust: when compared to a penny it is tiny – like a small pinch of salt:

This limit is the legal maximum; the most you can breathe after the right controls have been used.

How to reduce the amount of dust?

1. Reduce the amount of cutting by using the best sizes of building products.
2. Use a less powerful tool e.g. a block cutter instead of angle grinder.
3. Using a different method of work altogether – e.g. using a nail gun to direct fasten cable trays instead of drilling holes first.

Please always work with approved safety equipment, such as those dust masks that specially designed to filter out microscopic particles and use the dust extraction facility at all time.

For more information please see the HSE website:

<http://www.hse.gov.uk/construction> or <http://www.hse.gov.uk/pubns/cis69.pdf>



WARNING! Some dust particles created by power sanding, sawing, grinding, drill and other construction jobs contain chemicals known to cause cancer, birth defects or other reproductive harm. Some examples of these chemicals are:

- Lead from lead-based paints.
- Crystalline silica from bricks and cement and other masonry products.
- Arsenic and chromium from chemically treated timber.
- Your risk from these exposures varies, depending upon how often you do this type of work. To reduce your exposure to these chemicals:
- Work in a well-ventilated area.
- Work with approved safety equipment, such as those dust masks that are specially designed to filter microscopic particles.

VIBRATION

The European Physical Agents (Vibration) Directive has been brought in to help reduce hand arm vibration syndrome injuries to power tool users. The directive requires power tool manufacturers and suppliers to provide indicative vibration test results to enable users to make informed decisions as to the period of time a power tool can be used safely on a daily basis and the choice of tool.

SEE TECHNICAL SPECIFICATIONS IN THE INSTRUCTION MANUAL FOR THE VIBRATION LEVELS OF YOUR TOOL

The declared vibration emission value should be used as a minimum level and should be used with the current guidance on vibration.

Calculating the actual period of the actual period off use can be difficult and the HSE website has further information.

The declared vibration emission been measured in accordance with a standardised test stated above and may be used to compare one tool with another tool.

The declared vibration emission value may also be used in a preliminary assessment of exposure.



WARNING! The vibration emission value during actual use of the power tool can differ from the declared value depending on the ways in which the tool is used dependant on the following examples and other variations on how the tool is used:

- How the tool is used and the materials being cut or drilled.
- The tool being in good condition and well maintained.
- The use the correct accessory for the tool and ensuring it is sharp and in good condition.
- The tightness of the grip on the handles.
- And the tool is being used as intended by its design and these instructions.

While working with this power tool, hand/arm vibrations occur. Adopt the correct working practices in order to reduce the exposure to vibration. This

- the declared noise emission value(s) may also be used in a preliminary assessment of exposure.

Warning:

- the noise emissions during actual use of the power tool can differ from the declared values depending on the ways in which the tool is used especially what kind of workpiece is processed; and
- it is necessary to identify safety measures to protect the operator that are based on an estimation of exposure in the actual conditions of use (taking account of all parts of the operating cycle such as the times when the tool is switched off and when it is running idle in addition to the trigger time).

tool may cause hand-arm vibration syndrome if its use is not adequately managed.



WARNING! Identify safety measures to protect the operator that are based on an estimation of exposure in the actual conditions of use (taking account of all parts of the operating cycle such as the times when the tool is switched off and when it is running idle in addition to the trigger time). Note The use of other tools will reduce the users' total working period on this tool.

Helping to minimise your vibration exposure risk. **ALWAYS** use sharp chisels, drills and blades.

Maintain this tool in accordance with these instructions and keep well lubricated (where appropriate).

Avoid using tools in temperatures of 10°C or less. Plan your work schedule to spread any high vibration tool use across a number of days.

Health surveillance

All employees should be part of an employer's health surveillance scheme to help identify any vibration related diseases at an early stage, prevent disease progression and help employees stay in work.



Product description

- | | | |
|--------------------------------------|--|---|
| 1. 45° Vertical fence | 6. ON/OFF Switch | 11. Mitre cutting guide |
| 2. Diamond disc | 7. Lock knob
(for extension table) | 12. Lock knob
(for protective guard) |
| 3. Scale | 8. Parallel guide | 13. Metal bracket |
| 4. Working table | 9. Extension table | 14. Protective guard |
| 5. Lock knob
(for parallel guide) | 10. Lock knob
(Mitre cutting guide) | 15. Water reservoir plug |
| | | 16. Lower guard |

01

TECHNICAL SPECIFICATIONS

Technical Data

- > Voltage: 220-240V~50Hz
- > Power: 750W
- > No load speed: 6000min⁻¹
- > Insulation class: Class I
- > Dimensions of the diamond disc: ø180mmx2.4mmxø22.2mm
- > Working table size: 380 x 440mm
- > Working table with extension table size: 440x570mm
- > Maximum cutting depth: 30mm
- > Weight: 8.2kg

Information on the Noise

- > A weighted sound pressure L_{pA}: 92.1dB(A)
- > A weighted sound pressure L_{WA}: 105.1dB(A)
- > Uncertainty: 3dB(A)

The sound intensity level for the operator may exceed 85dB(A) and sound protection measures are necessary.

Information:

- the declared noise emission value(s) have been measured in accordance with a standard test method and may be used for comparing one tool with another;
- the declared noise emission value(s) may also be used in a preliminary assessment of exposure.

Warning:

- the noise emissions during actual use of the power tool can differ from the declared

- values depending on the ways in which the tool is used especially what kind of workpiece is processed; and
- it is necessary to identify safety measures to protect the operator that are based on an estimation of exposure in the actual conditions of use (taking account of all parts of the operating cycle such as the times when the tool is switched off and when it is running idle in addition to the trigger time).



WARNING: The vibration emission during actual use of the power tool can differ from the declared total value depending on the ways in which the tool is used; and of the need to identify safety measures to protect the operator that are based on an estimation of exposure in the actual conditions of use (taking account of all parts of the operating cycle such as the times when the tool is switched off and when it is running idle in addition to the trigger time).



WARNING: Depending on the actual use of the product the vibration values can differ from the declared total. Adopt proper measures to protect yourself against vibration exposures. Take the whole work process including times the product is running under no load or switched off into consideration. Proper measures include among others regular maintenance and care of the product and accessories, keeping hands warm, periodical breaks and proper planning of work processes.

Rating Label Explanation:

ERB337TCB-A Designation of the tool (**ERB** - Erbauer, **337** - Model Number, **TC** - Tile Cutter, **B-A** - Version of machine)



Assembly

01

SYMBOLS

On the product, the rating label and within these instructions you will find among others the following symbols and abbreviations.

Familiarise yourself with them to reduce hazards like personal injuries and damage to property.

V~	Volt	Hz	Hertz
W	Input power	kg	Kilogram
m/min	Metres per minute	dB (A)	Decibel (A-rated)
min ⁻¹	Per minute		
yyWxx	Manufacturing date code; year of manufacturing (20yy) and week of manufacturing (Wxx);		



Caution / Warning.



Wear hearing protection.



Read the instruction manual.



Wear eye protection.



Wear gloves.



Wear respiratory protection.



Read the instruction manual.



Wear protective, slip-resistant footwear.



Risk of cutting.



Use only non fragmented discs.



Switch the product off and disconnect it from the power supply before assembly, cleaning, adjustments, maintenance, storage and transportation.



The product complies with the applicable European directives and an evaluation method of conformity for these directives was done.



UK Conformity Assessed.



WEEE symbol. Waste electrical products should not be disposed of with household waste. Please recycle where facilities exist. Check with your Local Authority or local store for recycling advice.

02

UNPACKING

- | | |
|---------------------------------|-------------------------------|
| 17. Tile cutter assembly x 01 | 9. Extension table x 01 |
| 8. Parallel guide assembly x 01 | 15. Water reservoir plug x 01 |
| 2. Diamond disc x 01 | 13. Metal bracket x 01 |
| 11. Mitre cutting guide x 01 | 18. Spanners x 02 |
| 14. Protective guard x 01 | |

The tool is packed complete in one carton. When unpacking and checking the contents of the carton, separate all the parts from the packing material and check each one against the pack contents shown below to make sure that all items are accounted for.

If any parts are missing, do not attempt to assemble, or use the tile cutter until the missing parts are obtained and installed correctly. Any missing parts should be reported immediately to the store from which you purchased the tool.



WARNING! The product and the packaging are not children's toys! Children must not play with plastic bags, sheets and small parts! There is a danger of choking and suffocation!

03

ASSEMBLING THE MACHINE

YOU WILL NEED

(items not supplied)

Cross head screwdriver

(items supplied)

Disc spanner (2pcs)

INSTALLATION OF THE METAL BRACKET (A)

- Unplug the tile cutter from the mains supply.
- Remove the cover (45° vertical fence) of the water reservoir.
- Remove the two screws and washers from the top of the deck, slide the metal bracket into the desired position (A) and then fix in place re-using the two screws and washers. Ensure the bracket is perpendicular to the deck and positioned inline with the blade. Loosening these screws allows some minor adjustment to ensure the bracket does not foul the tile when cutting.
- Put the cover (45° vertical fence) back into position.

INSTALLATION OF THE DIAMOND DISC (B-E)

- Unplug the tile cutter from the mains supply.
- Remove the cover (45° vertical fence) of the water tank.
- Remove the blade lower guard (B).
- Insert the inner flange, the diamond disc and the outer flange on the spindle (C). then tighten the bolt clockwise with the two spanners provided (D).
- Insert the blade lower guard into the notches then tighten the screw (E).
- Put the cover back into position (E).

INSTALLATION OF THE PROTECTIVE GUARD (F)

- Unplug the tile cutter from the mains supply.
- Place the guard onto the metal bracket and fix in place using the screw and washer (F). Push the lock knob (for protective guard) over the nut.
- Cover the diamond disc with the protective guard.
- Ensure that protective guard can move freely and that it cannot touch the disc.
- Do not over tighten the protective guard when fixing it. The guard should be free to rise and fall as the workpiece is pushed towards the disc.

INSTALLATION OF THE PARALLEL GUIDE (G - K)

- Unplug the tile cutter from the mains supply.
- Insert spring, clamp, washer and lock knob (for parallel guide) to the bolt of parallel guide (G), then tighten the lock knob.
- Put the parallel guide onto the working table and fix it using the lock knob (H-I).
- Mitre cutting can be performed by using the mitre cutting guide. The angle can be adjusted from 0° to 45° by unscrewing the lock knob (for mitre cutting guide) (J).
- To perform 22.5° or 45° bevel cutting, raise one side of the cover (45° vertical fence), lever out the support and secure the tabs into the places in the deck before working (K).

MOUNTING THE EXTENSION TABLE (L)

- Unplug the tile cutter from the mains supply.
- Undo the cross-screw.
- Push the guide rails for the extension table on both sides into the locator of the machine body.
- Refit the cross-screw.
- Tighten the locking knob.

SETTING THE EXTENSION TABLE (L)

- Unplug the tile cutter from the mains supply.
- Loosen the locking knob.
- Set the extension table to the desired distance from the cutting disc.
- Tighten the locking knob.

FILLING THE WATER TANK (M)

Before cutting, the tank must be filled with water:

- Unplug the tile cutter from the mains supply.
- Remove the metal cover (45° vertical fence) from the working table.
- Insert the water reservoir plug into the drain opening.
- Fill the tank with water in order to just cover the disc edge (ensure that no more than $\frac{1}{4}$ of the disc is submerged in water).



WARNING! During use the water level must never drop below the MIN marking.

- When you have finished cutting, remove the plug inside the tank to drain the water (M).



WARNING! Do not add chemicals or detergents to the water.

CONNECTION TO THE ELECTRICAL SUPPLY

Before switching on, make sure that the voltage of the mains supply is the same as indicated on the rating plate. This product is designed to operate on 220-240V~50Hz. Connecting it to any other power source may cause damage.

This appliance must be earthed. If in doubt, please consult a qualified electrician.

The mains supply shall be fed via a 10A fuse min.

This machine must be supplied through a residual current device (RCD).



WARNING! Before switching the tile cutter on, make sure that you have read and understood all of the safety instructions. Make sure also that the machine has been correctly assembled and adjusted. Make sure that the mains is disconnected from the supply when the tile cutter is not being used or adjustments are being made.



WARNING! This machine must be supplied through a residual current device (RCD).

- Plug the mains cable into the mains supply.
- Press the green switch marked I.
- The machine will now start. Always allow the disc to reach full speed before performing any cutting operations.
- To switch off the machine, push the red switch marked O. The tile cutter will now stop.



WARNING! The disc will continue to rotate for a few seconds after the machine has been switched off. Wait for the disc to stop before removing the workpiece or making any adjustments.

Stop the machine immediately if there is undue vibration or some other fault. If this situation continues, check the machine to find the origin of the fault.



Use

INTENDED USE

This tile cutter shall be used only to cut tiles to a required size or shape. It shall not be used to cut inflammable, explosive or toxic materials. Other uses for the machine will lead to the damage of the machine and a series of dangers to the operator. Only identical accessories as the ones provided with the tile cutter are authorised. Never use the appliance in the rain or other wet conditions.

GENERAL OPERATION

Put the tile cutter on a clean, stable and flat surface.

MAKING A STRAIGHT CUT (N)

Adjust the parallel guide to the desired width. Use the lock knob (for parallel guide) to loosen or adjust the guide. Position the tile firmly against the parallel guide and move it through the blade in a smooth action. Hold the edges of the tile and press down firmly to prevent the tile lifting during the cut.

MAKING A MITRE OR DIAGONAL CUT (O)

Follow the same procedure for a straight cut but use the mitre cutting guide in conjunction with the parallel guide. The mitre cutting guide simply clips onto the parallel guide. Make sure that the tile is held firmly in the guide before making the cut.

CUTTING AN ANGLE OR BEVEL (P)

Use the 45° vertical fence if you wish to cut an angle or bevel on the tile edge. Lift the 45° vertical fence and secure the plastic tabs in the places on the deck. Then make the cut as before.

Internal or external bevel cuts can be made by turning the tile face up or down (internal - eg. wall corner; external - eg. window reveal).

AFTER USE

- Switch the product off, disconnect it from the power supply and let it cool down.
- Check, clean and store the product as described below.



+



Care & maintenance

THE GOLDEN RULES FOR CLEANING



WARNING! Always switch the product off, disconnect the product from the power supply and let the product cool down before performing inspection, maintenance and cleaning work!

- Keep the product clean. Remove debris from it after each use and before storage.
- Regular and proper cleaning will help ensure safe use and prolong the life of the product.
- Inspect the product before each use for worn and damaged parts. Do not operate it if you find broken and worn parts

GENERAL CLEANING

After use, clean all excess dust from the table and the area around the table. Frequently clean the machine using a soft brush or vacuum cleaner.



Note: Do not use chemical, alkaline, abrasive or other aggressive detergents or disinfectants to clean this product as they might be harmful to its surfaces.

MAINTENANCE

Ensure that appliance is disconnected from power supply before installation, cleaning and maintenance operations.

Apart from diamond discs there are no other user serviceable parts inside this tile cutter. Refer to qualified service personnel if internal maintenance is required. Any worn or damaged parts should be replaced immediately by qualified personnel.

Keep discs in good condition. Poor condition or worn discs can increase the noise level emitted. Do not allow dust to accumulate inside, or on the product.

If the supply cable is damaged, it should be replaced by the same type of cable as the one provided and recommended by the manufacturer (H05 VV-F 3G0.75 mm²). The supply cord of the tool and any extension cord used should be checked frequently for damage. If damaged, have the cordset replaced by an authorised service facility. Replace the extension cord if necessary.

POWER CORD

If the power cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified person in order to a safety hazard.

PLUG REPLACEMENT

If you need to replace the fitted plug then follow the instructions below.

Important

The wires in the mains lead are coloured in accordance with the following code:

Green & yellow - Earth

Blue - Neutral

Brown - Live

As the colours of the wires in the mains lead of this appliance may not correspond with the coloured markings identifying the terminals in your plug, proceed as follows. The wire which is coloured **green & yellow** must be connected to the terminal which is marked with **E** or \equiv .


The wire which is coloured blue must be connected to the terminal which is marked with **N**. The wire, which is coloured brown, must be connected to the terminal, which is marked with the letter **L**.



WARNING! Never connect live or neutral wires to the earth terminal of the plug. Only fit an approved 5 Amp BS1363/A plug and the correct rated fuse.



Note: If a moulded plug is fitted and has to be removed take great care in disposing of the plug and severed cable, it must be destroyed to prevent engaging into a socket. If the supply cord is damaged it must be replaced by a service agent or a similarly qualified person in order to avoid hazard.



REPAIR

- This product does not contain any parts that can be repaired by the consumer. Contact a qualified specialist to have it checked and repaired.
- Apart from diamond discs there are no other user serviceable parts inside this tile cutter. Refer to qualified service personnel if internal maintenance is required. Any worn, or damaged parts should be replaced immediately by qualified personnel. Keep discs in good condition. Poor condition or worn discs can increase the noise level emitted.
- If the supply cable is damaged, it should be replaced by the same type of cable as the one provided and recommended by the manufacturer (H05 VV-F3G0.75 mm²). The supply cord of the tool and any extension cord used should be checked frequently for damage.
- If damaged, have the cord set replaced by an authorised service facility. Replace the extension cord if necessary.

STORAGE

- Switch the product off and disconnect it from the power supply.
- Clean the product as described above.
- Store the product and its accessories in a dark, dry, frost-free, well-ventilated place.
- Always store the product in a place that is inaccessible to children. The ideal storage temperature is between 10°C and 30°C.
- We recommend using the original package for storage or covering the product with a suitable cloth or enclosure to protect it against dust.

TRANSPORTATION

- Switch the product off and disconnect it from the power supply.
- Attach transportation guards, if applicable.
- Always carry the product by its main handle.
- Protect the product from any heavy impact or strong vibrations which may occur during transportation in vehicles.
- Secure the product to prevent it from slipping or falling over.

RECYCLING AND DISPOSAL



Waste electrical products should not be disposed of with household waste. Please recycle where facilities exist. Check with your Local Authority or retailer for recycling advice. For further information visit www.recyclemore.co.uk.

TROUBLESHOOTING

Suspected malfunctions are often due to causes that the users can fix themselves. Therefore check the product using this section. In most cases the problem can be solved quickly.



WARNING! Troubleshooting could lead to an increased risk to the operator due to the fact that safety guards / covers may have to be removed.

It is therefore particularly important that all the measures necessary for safe working are taken.

Fault	Possible causes	Possible solutions
Motor not running	No main voltage	Check cable, plug socket and fuse
Motor runs, cutting disc remains still when subject to load	Flange nut loose	Check the flange is seated correctly and tighten if necessary
Cutting disc runs irregularly/ vibrates	Cutting disc warped	Replace the cutting disc
	Cutting disc fitted incorrectly	Fit the cutting disc correctly
Cutting disc is discoloured	Insufficient cooling water	Fill the product with water
	Lateral friction caused by cut runout	Guide workpiece through cutting disc more slowly



Guarantee

We take special care to select high quality materials and use manufacturing techniques that allow us to create products incorporating design and durability. This product (**Erbauer 750W TILE CUTTER**) has a manufacturer's guarantee of 3 years against manufacturing defects, from the date of purchase (if bought in store) or date of delivery (if bought online), at no additional cost.

To make a claim under this guarantee, you must present your proof of purchase (such as a sales receipt, purchase invoice or other evidence admissible under applicable law), please keep your proof of purchase in a safe place. For this guarantee to apply, the product you purchased must be new, it will not apply to second hand or display products. Unless stated otherwise by applicable law, any replacement product issued under this guarantee will only be guaranteed until expiry of the original guarantee period.

This guarantee covers product failures and malfunctions provided the product was used for the purpose for which it is intended and subject to installation, cleaning, care and maintenance in accordance with the information contained in these terms and conditions, in the user manual and standard practice, provided that standard practice does not conflict with the user manual.

This guarantee does not cover defects and damage caused by normal wear and tear or damage that could be the result of improper use, faulty installation or assembly, neglect, accident, misuse, or modification of the product. Unless stated otherwise by applicable law, this guarantee will not cover, in any case, ancillary costs (shipping, movement, costs of uninstalling and reinstalling, labour etc), or direct and indirect damage.

This guarantee does not cover defects and damage caused by or resulting from:

Normal wear and tear

Overload, misuse or neglect

Repairs attempted by anyone other than an authorised agent

Cosmetic damage

Damage caused by foreign objects, substances or accidents

Accidental damage or modification

Failure to follow manufacturer's guidelines

Loss of use of the goods

If the product is defective, we will, within a reasonable time, repair or replace it.

Rights under this guarantee are enforceable in the country in which you purchased this product. Guarantee related queries should be addressed to the store you purchased this product from.

The guarantee is in addition to and does not affect your statutory rights.



Declaration of Conformity



(EN) EU DECLARATION OF CONFORMITY
 (FR) DÉCLARATION UE DE CONFORMITÉ
 (PL) DEKLARACJA ZGODNOŚCI UE
 (RO) DECLARAȚIA DE CONFORMITATE UE
 (ES) DECLARACIÓN UE DE CONFORMIDAD
 (PT) DECLARAÇÃO DE CONFORMIDADE UE

Product/ Produit/ Produkt/Produsul/Produkt/Producto/Produto

- 750W TILE CUTTER / COUPE CARREAUX 750W / PRZECINARKA DO PŁYTEK 750W / MAȘINĂ DE TĂIAT PLĂCI CERAMICE 750W / CORTADORA DE AZULEJOS 750W / CORTADOR DE AZULEJOS 750W
- ERB337TCB-A
- Serial number range 000001 to 999999

Name and address of the manufacturer or his authorised representative:

Nom et adresse du fabricant ou de son mandataire:

Nazwa i adres producenta lub jego upoważnionego przedstawiciela:

Denumirea și adresa producătorului sau a reprezentantului său autorizat:

Nombre y dirección del fabricante o de su representante autorizado:

Nome e endereço do fabricante ou do respetivo mandatário:

Kingfisher International Products B.V.,
 Rapenburgerstraat 175E,
 1011 VM Amsterdam,
 The Netherlands

This declaration of conformity is issued under the sole responsibility of the manufacturer.

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant.

Niniejsza deklaracja zgodności wydana zostaje na wyłączną odpowiedzialność producenta.

Prezenta declarație de conformitate este emisă pe răspunderea exclusivă a producătorului.

La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante.

A presente declaração de conformidade é emitida sob a exclusiva responsabilidade do fabricante.

Object of the declaration/Objet de la declaration/Przedmiot deklaracji/

Obiectul declarației/Objeto de la declaración/Objeto da declaração

Product/Produit/Produkt/Produsul/ Produto/ Producto/ Produto	Model/Modèle/Model/ Modelul/Modelo/ Modelo	EAN
750W TILE CUTTER COUPE CARREAUX 750W PRZECINARKA DO PŁYTEK 750W MAȘINĂ DE TĂIAT PLĂCI CERAMICE 750W CORTADORA DE AZULEJOS 750W CORTADOR DE AZULEJOS 750W	ERB337TCB-A	5059340394305 5059340394312

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:

L'objet de la déclaration décrit ci-dessus est conforme à la législation d'harmonisation de l'Union applicable:

Wymieniony powyżej przedmiot niniejszej deklaracji jest zgodny z odpowiednimi wymaganiami unijnego prawodawstwa harmonizacyjnego:

Obiectul declarației descris mai sus este în conformitate cu legislația relevantă de armonizare a Uniunii:

El objeto de la declaración descrita anteriormente es conforme con la legislación de armonización pertinente de la Unión:

O objeto da declaração acima descrito está em conformidade com a legislação de harmonização da União aplicável:

2006/42/EC as amended Machinery Directive

2014/30/EU as amended Directive Electromagnetic compatibility

2011/65/EU as amended Directive Restriction of the use of certain hazardous substances in electrical and electronic equipment

2006/42/CE telle que modifiée Directive sur les machines

2014/30 / UE telle que modifiée Directive Compatibilit   electromagn  tique

2011/65/UE telle que modifiée Directive relative    la limitation de l'utilisation de certaines substances dangereuses dans les   quipements   lectriques et   lectroniques

2006/42/WE w zmienionej dyrektywie maszynowej

2014/30 / UE ze zmianami Dyrektywa Kompatybilno   elektromagnetyczna

2011/65 / UE ze zmianami Dyrektywa Ograniczenie stosowania niekt  rych niebezpiecznych substancji w sprz  cie elektrycznym i elektronicznym

2006/42/CE, astfel a fost modificat   Directiva privind echipamentele

2014/30/UE, astfel a fost modificat   Directiva privind compatibilitatea electromagnetică

2011/65/UE, astfel a fost modificat   Directiva privind limitarea utilizării anumitor substanțe periculoase   n echipamentele electrice    electronice

Directiva sobre maquinaria modificada 2006/42/CE
2014/30/UE modificada Directiva Compatibilidad electromagnética
2011/65/UE modificada Directiva Restricción del uso de determinadas sustancias peligrosas en equipos eléctricos y electrónicos
2006/42/CE como diretiva de máquinas alteradas
2014/30/UE como alteração da compatibilidade eletromagnétic
2011/65/UE como restrição diretiva alterada da utilização de certas substâncias perigosas em equipamentos elétricos e eletrónicos

References to the relevant harmonised standards used or references to the other technical specifications in relation to which conformity is declared:

Références des normes harmonisées pertinentes appliquées, y compris la date de celles-ci, ou des autres spécifications techniques, y compris la date de celles-ci, par rapport auxquelles la conformité est déclarée:

Odwołania do odnośnych norm zharmonizowanych, które zastosowano, wraz z datą normy, lub do innych specyfikacji technicznych, wraz z datą specyfikacji, w odniesieniu do których deklarowana jest zgodność:

Trimiteri la standardele armonizate relevante folosite, inclusiv data standardului, sau trimiteri la celelalte specificații tehnice, inclusiv data specificațiilor, în legătură cu care se declară conformitatea:

Referencias a las normas armonizadas pertinentes utilizadas, incluidas las fechas de las normas, o referencias a las otras especificaciones técnicas, incluidas las fechas de las especificaciones, respecto a las cuales se declara la conformidad:

Referências às normas harmonizadas aplicáveis utilizadas, incluindo a data da norma, ou às outras especificações técnicas, incluindo a data da especificação, em relação às quais é declarada a conformidade:

EN 62841-1:2015

EN ISO 12100:2010

EN IEC 55014-1:2021


EN IEC 55014-2:2021

EN IEC 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019

Authorized Signatory and technical file holder/ Signataire et responsable de la documentation technique autorisé/ Podmiot uprawniony do wystawienia i adres przechowywania dokumentacji technicznej/Semnatar autorizat și deținătorul dosarului tehnic/
Firmante autorizado y titular del expediente técnico/Signatário autorizado e detentor da ficha técnica:

Kingfisher International Products B.V.,
Rapenburgerstraat 175E,
1011 VM Amsterdam,
The Netherlands



David Awe
Group Quality Director

On: 20/12/2021



Declaration of Conformity

UK CA

(UK) DECLARATION OF CONFORMITY

Product:

- 750W TILE CUTTER
- ERB337TCB-A
- Serial number range 000001 to 999999

Name and address of the manufacturer or his authorised representative:

Kingfisher International Products Limited
3 Sheldon Square
London W2 6PX
United Kingdom

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Object of the declaration

Product	Model	EAN
750W TILE CUTTER	ERB337TCB-A	5059340394305

The object of the declaration described above is in conformity with the relevant legislation:

Supply of Machinery (Safety) Regulations 2008 as amended
Electromagnetic Compatibility Regulations 2016 as amended
The Restriction of the use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 as amended

References to the relevant designated standards used or references to the other technical specifications in relation to which conformity is declared:

EN 62841-1:2015
EN ISO 12100:2010
EN IEC 55014-1:2021
EN IEC 55014-2:2021
EN IEC 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019

Signed for and on behalf of:

Kingfisher International Products Limited
3 Sheldon Square
London W2 6PX
United Kingdom

David Awe
Group Quality Director

On: 20/12/2021

Erbauer

**Manufacturer • Fabricant • Producent
• Producător • Fabricante:**

UK manufacturer:

Kingfisher International Products Limited
3 Sheldon Square London W2 6PX
United Kingdom
www.kingfisher.com/products

EU manufacturer:

Kingfisher International Products B.V.
Rapenburgerstraat 175E
1011 VM Amsterdam
The Netherlands



www.diy.com | www.screwfix.com | www.screwfix.ie

To view instruction manuals online,
visit www.kingfisher.com/products

Customer Helpline:

UK 03301248111 erbauer@powertoolservicing.co.uk

Eire 0035312479977 erbauer@powertoolservicing.co.uk