


Talon Pipe Cover Range


Pipe Cover Range

Talon Pipe Cover has been designed to offer Colours & sizes a compact, neat and easy solution where unsightly pipework needs to be covered. Available in 15, 22 & 28mm single and 10, 15 & 22mm double styles, it can be fitted directly onto the Talon Hinged Clips.

Single Pipe Cover **Double Pipe Cover** White 2.5m & 3m 3m









CVD10 10mm Double Pipe Cover A: 25mm B: 46mm.


CVD15 15mm Double Pipe Cover **A:** 33mm **B:** 58mm



22mm Double Pipe Cover **A:** 40.7mm **B:** 78mm



15mm Single Pipe Cover **A:** 33mm **B:** 33mm



22mm Single Pipe Cover **A:** 40.7mm **B:** 43mm

CVS28

28mm Single Pipe Cover **A:** 48mm **B:** 53mm


Pipe Cover Backplates

Replaces fixing bracket for installations not involving Talon Hinged Clips.

Spacing between back plates: No more than 1 meter apart.



for 15 & 22mm Single Cover




for 15 & 22mm Double Cover




How to - Talon Dipe Cover

How to install Talon Pipe Cover

Talon Pipe Cover is specially designed to grip and hold Talon Hinged Clips. Cover is available for single or double pipe installations. Pipe Cover is fully adaptable for use with non Hinged Clip specifications (see page 3 TBC)





Required for Install...


Typical parts required to install a length of Pipe Cover includes;


- Talon Hinged Clips
- Talon Red or Brown Wall Plugs
- Size 10 countersunk screws

 \gg

• Installation pipework.








Step 1

Drill holes then install Talon Hinged Clips & Talon Wall Plugs with screws on fixing surface. Space clips no more than 500mm apart along the Pipe Cover.

Step 2

Install pipe then place Pipe Cover over Hinged Clips. Note the cover fixing points are specially designed to grip the side lugs of Talon Hinged Clips.



For more information on Pipe Cover Accessories, see data sheet.

Step 3

Push the Pipe Cover and Hinged Clip fixing points together to close the installation. Repeat for additional coverings adding Talon extension accessories where needed.



How to - Dipe Cover Backplates

Pipe Cover Backplates

Required for Install...

A typical cover installation involving backing plates will need additional fixings. Backing plates required;


- Talon Open Clips or other clips fit for a pipework install.
- Talon Red or Brown Wall Plugs
- Size 10 countersunk screws






Step 1

Drill required holes and fix the backing plates and pipe clips. Backing plates should be spaced no more than 500mm apart along the pipe cover installation.



Step 2

Install the pipework. Note the backing plate sits under the pipework. A minimum gap of 7mm is required between the fixing surface and the installed pipe.



Step 3

Place the pipe cover over the installation and push fixing points together to finish the installation. Repeat process for additional Pipe Cover.

For more information on Pipe Cover Accessories, see data sheets for more details.



Pipe Cover Accessories


Talon offer a wide range of Pipe Cover Accessories to fit to Talon Pipe Cover and used in conjunction with Talon Skirting Cover.

Colours & sizes




All Pipe Cover Accessories

Single Pipe Cover Accessories




Double Pipe Cover Accessories






Single Pipe Cover Accessories



AS15SE (15mm)

Stop End **A:** 24.8mm **B:** 37.8mm

C: 34.3mm




AS22SE (22mm)

Stop End

A: 30mm **B:** 48.4mm

C: 41.8mm




AS28SE (28mm)

Stop End

A: 30mm **B:** 56.4mm

C: 49.6mm

10mm Double Pipe Cover Accessories




AD10SE (10mm)

Stop End

A: 20mm **B:** 49.2mm

C: 26.5mm




AD10IC (10mm)

Inner Corner

A: 43mm **B:** 49.2mm

C: 26.5mm **D:** 43mm




AD100C

Outer Corner

A: 43mm **B:** 49.2mm

C: 26.5mm D: 43mm



AD10FC


Flat Corner

A: 65.7mm **B:** 49.2mm **C:** 26.5mm **D:** 65.7mm

Information Sheet No. 3A - © Talon Manufacturing
Talon, Units 2 to 5 Chieftain Close, Gillingham Business Park, Kent, ME8 OPP
Tel: 01634 268811 • Fax: 01634 268812 • Email: sales@talon.co.uk • Web: www.talon.co.uk




15mm Double Pipe Cover Accessories




AD15SE

Stop End **A:** 25mm **B:** 60.5mm **C:** 34mm




AD15SC

Straight Connector A: 40mm B: 60.5mm C: 34mm




AD15IC

Inner Corner **A:** 54mm **B:** 60.5mm **C:** 34mm **D:** 54mm




AD15OC

Outer Corner **A:** 54mm **B:** 60.5mm **C:** 34mm **D:** 54mm




AD15FC

Flat Corner **A:** 80mm **B:** 60.5mm **C:** 34mm **D:** 80mm




AD15TA

Top Access
A: 50mm B: 60.5mm
C: 34mm



AD15SA

Side Access
A: 50mm B: 60.5mm
C: 34mm




AD15CT

Crossover T Connector
A: 135mm B: 60.5mm
C: 63mm




22mm Double Pipe Cover Accessories




Stop End

A: 30mm B: 82mm


C: 41mm




AD22SC Straight Connector A: 40mm B: 82mm C: 41mm




Inner Corner **A:** 67mm **B:** 82mm **C:** 41mm **D:** 106mm




Outer Corner
A: 67mm B: 82mm
C: 41mm D: 67mm




Flat Corner
A: 106mm B: 82mm
C: 41mm



Top Access
A: 60mm B: 82mm
C: 41mm




Side Access
A: 60mm B: 82mm
C: 41mm



AD22CT
Crossover T Connector
A: 165mm B: 82mm
C: 73mm




Additional Accessories




AVP20

20mm Vent Plug **A:** 2mm **B:** 23.5mm **Drill hole size = 20mm**



AVP70

70mm Vent Plug **A:** 1.75mm **B:** 80mm **Drill hole size = 70mm**



AK105T15 (15mm)

Skirting Cover T Connector

A: 150mm B: 62mm


C: 85mm

How to - Pipe Cover Accessories

Talon Pipe Cover Accessories combine in a variety of ways to cover installation work. Accessories are easy fit using uPVC Solvent Weld Glue. The Skirting Crossover T Connector allows Talon Skirting Cover to be connected to Talon Pipe Cover.

Pipe Cover wall assembly example

Pipe Cover to skirting cover assembly example



Information Sheet No. 3A - © Talon Manufacturing
Talon, Units 2 to 5 Chieftain Close, Gillingham Business Park, Kent, ME8 OPP
Tel: 01634 268811 • Fax: 01634 268812 • Email: sales@talon.co.uk • Web: www.talon.co.uk