

Installation & Operating Instructions

ESSENCE MULTI-POSITION SECURITY FLOODLIGHT

Non-Replaceable Light Source. The light source contained in this luminaire is not replaceable, at the end of life the luminaire shall be destroyed.

This product contains a ight source of energy efficiency class <E>.

































	EN	DE	FR	ES	IT	PT
L	BROWN	BRAUN	MARRON	MARRÓN	MARRONE	MARROM
E	GREEN-YELLOW	GRÜN-GELB	VERT-JAUNE	VERDE-AMARILLO	VERDE-GIALLO	VERDE-AMARELO
N	BLUE	BLAU	BLEU	AZUL	BLU	AZUL



UK - **0330 0249 279** Non UK - +44 (0)1952 238 100

Supplied by LUCECO Stafford Park 1, Telford, Shropshire, England, TF3 3BD

Visit our website at www.luceco.com

UK - 0330 0249 279 Non UK - +34 93 829 55 74

(EU) Luceco SE C/ Bobinadora 1-5 08302 Mataró Spain

Visite nuestra web en www.luceco.com




Installation & Operating Instructions



Normal motion sensor operation – floodlight will automatically turn on when motion detected.



Dusk-till-dawn override – switch floodlight off/on quickly to activate Dusk-till-dawn mode. Floodlight will automatically turn on when the lux light level drops below setting set to on PIR. This can be adjusted using lux sensitivity dial on the rear of PIR. To switch back to normal motion sensing mode, switch product off/on quickly again.



Part No	Version	Wattage	Luminaire Lumens	LED Chip Lumens	LED Chip lm/W	Colour Temperature	Dimensions (LxHxW)	Weight
EFLD10B40-06	Standard	10	1050	1200	120lm/W	4000K	114x105x30mm	0.28kg
EFLD20B40-06	Standard	20	2100	2400	120lm/W	4000K	129x115x30mm	0.325kg
EFLD30B40-06	Standard	30	3150	3600	120lm/W	4000K	144x129x30mm	0.395kg
EFLD50B40-06	Standard	50	5250	6000	120lm/W	4000K	184x160x30mm	0.605kg
EFLD10B40P-06	PIR	10	1050	1200	120lm/W	4000K	114x162x51mm	0.325kg
EFLD20B40P-06	PIR	20	2100	2400	120lm/W	4000K	129x171x51mm	0.385kg
EFLD30B40P-06	PIR	30	3150	3600	120lm/W	4000K	144x184x51mm	0.445kg
EFLD50B40P-06	PIR	50	5250	6000	120lm/W	4000K	184x215x51mm	0.650kg

This product range is designed for domestic outdoor use. Not suitable for interior use. If outdoor connection is required, use a suitably IP rated junction box and terminals. Glands used must be suitable for H05RN-F cable as supplied with the luminaire. The Floodlight is pre-wired with 1.0M of H05RN-F cable, removing the need to open the housing. The external flexible cord or cable of this luminaire cannot be replaced; if the cord is damaged, the luminaire shall be destroyed.

NOTE – To comply with regulations, installation must be carried out by suitably qualified competent person and in accordance with the current IEE Wiring Regulations (BS761) and Building Regulations. A copy of the instructions must be left for the user/maintenance engineer for the future reference.

For non-UK, please refer/consult local requirements ENSURE ELECTRICAL SUPPLY IS DISCONNECTED/ISOLATED BEFORE COMMENCING INSTALLATION.



Tech Help Lir

UK - **0330 0249 279** Non UK - **+44 (0)1952 238 100**

Supplied by LUCECO Stafford Park 1, Telford, Shropshire, England, TF3 3BD

Visit our website at **www.luceco.com**

Servicio de asistencia telefónica

UK - **0330 0249 279** Non UK - **+34 93 829 55 74**

(EU) Luceco SE C/ Bobinadora 1-5 08302 Mataró Spain

Visite nuestra web en www.luceco.com



Installation & Operating Instructions

United Kingdom Warranty

For other territories and for further information, please see www.luceco.uk for details.

Products are protected by warranty for a period of 2 years from date of purchase against defects in material and workmanship (unless otherwise stated). Should a product fail to perform as described within the warranty period it will be repaired or replaced with the same or equivalent product by Luceco, free of charge provided that you: (1) return the product to us with shipping charge prepaid, (2) provide us with proof of the original date of purchase and (3) quote our return authorization number.

Repaired or replaced products will be returned to you with shipping charges prepaid. Replacement products may be refurbished or contain refurbished materials. If in our sole discretion, we are unable to repair or replace a defective product, we will refund the purchase price of the product.

This warranty will not apply if in our judgment, the product fails due to damage in shipment, handling, storage, accident, abuse or misuse, or if it has been used in a manner not conforming to our product instructions, has been modified in any way, or has any serial number removed or defaced. Repair or attempted repair will void this warranty. Our maximum liability under the terms of this warranty is limited to the purchase price of the product covered by the warranty.

The warranty is given under English Law. If any part of this warranty is deemed unenforceable (including any provision in which we exclude our liability to you) the enforceability of any other parts of the warranty will not be affected. These terms do not reduce your statutory rights.

For Non-UK please contact Local Luceco Office for details. THESE TERMS AND CONDITIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

Eventually, you may want to replace this fitting;

Environmental Protection W.E.E.E (Wheelie Bin Symbol for EU ONLY)

This symbol is known as the "crossed-out" wheelie Bin Symbol". When this symbol is marked on a product or battery, It means that it should not be disposed of with your general household waste. Some chemicals contained within electrical/electronic products or batteries can be harmful to health and the environment. Only dispose of electrical/electronic/battery items in separate collection schemes, which cater for the recovery and recycling of materials contained within. Your co-operation is vital to ensure the success of these schemes and for the protection of the environment.



Tech Help Lin

UK - **0330 0249 279** Non UK - **+44 (0)1952 238 100**

Supplied by LUCECO Stafford Park 1, Telford, Shropshire, England, TF3 3BD

Visit our website at **www.luceco.com**

Servicio de asistencia telefónic

UK - **0330 0249 279** Non UK - **+34 93 829 55 74**

(EU) Luceco SE C/ Bobinadora 1-5 08302 Mataró Spain

Visite nuestra web en www.luceco.com